

## APPENDIX: Distribution of *A. florea*.

Geographical distribution of *A. florea* by countries, geographical co-ordinates and altitude. Those localities for which morphometric data are analyzed are indicated by an asterisk (cf. Table I in printed text).

COUNTRY	CO-ORDINATES	ALTITUDE
<b>BANGLADESH</b>		
1. Dhaka	26.41N 85.10E	4
2. Manikgonj	23.52N 90.00E	6
3. Panchdona	23.26N 90.46E	3
4. Sardagonj	23.26N 90.12E	19
5. Sonargaon	23.15N 90.42E	22
6. Chittagong	22.20N 91.49E	7
<b>CAMBODIA</b>		
1. Kompong Chhnang	12.16N 104.39E	17
2. Kampong Speu*	11.27N 104.32E	16
3. Takeo*	11.00N 104.46E	8
4. Kampot*	10.37N 104.11E	21
<b>CHINA</b>		
1. Xichang	27.52N 102.16E	1508
2. Bijiang	26.33N 98.56E	2325
3. Dukou	26.30N 101.45E	1344
4. Lushui	25.57N 98.49E	1056
5. Binchuan	25.51N 100.34E	1810
6. Dali	25.33N 100.09E	1970
7. Xiaguan	25.26N 112.01E	448
8. Weishan	25.15N 100.20E	2134
9. Lufeng	25.07N 102.10E	1593
10. Baoshan	25.07N 99.08E	1694
11. ChuXi	25.02N 101.32E	1810
12. Hongxi	24.08N 103.19E	1477
13. Wanding	24.04N 98.04E	839
14. Lincang	23.45N 102.20E	1672
15. Yuanjian	23.35N 101.59E	1500
16. Wensha	23.22N 104.14E	1258
17. Lancang	23.00N 100.02E	1187
18. Simao	22.43N 100.56E	1100
19. Longzhou	22.24N 106.59E	113
20. Shangsi	22.04N 106.50E	233
21. Jinghong	21.58N 100.50E	600
22. Xishuangbanna	21.27N 100.25E	700
23. Leizho	20.54N 110.05E	8
24. Hainan Island		
<b>INDIA</b>		
1. Jammu*	32.45N 74.55E	327
2. Dalhousie	32.32N 75.58E	2000
3. Hamirpur*	32.25N 75.20E	747
4. Nurpur*	32.18N 75.53E	492
5. Katrain	32.07N 77.07E	1922
6. Kangra	32.06N 76.16E	700
7. Gurdaspur*	32.04N 75.28E	264
8. Amritsar	31.35N 74.56E	222

9. Hoshiarpur*	31.30N 75.55E	316
10. Una*	31.25N 76.15E	420
11. Karpurthala*		224
12. Jullundur	31.15N 75.35E	300
13. Ludhiana	30.56N 75.52E	243
14. Solan	30.55N 77.07E	1467
15. Ropar	30.55N 76.30E	270
16. Ferozepore	30.55N 74.38E	183
17. Simla	30.52N 77.02E	1733
18. Faridkot	30.42N 74.47E	196
19. Narainga	30.28N 77.07E	294
20. Ranganathittu	30.24N 79.53E	2100
21. Kalka*	30.20N 76.45E	720
22. Patiala	30.20N 76.24E	250
23. Dehra Dun	30.19N 78.01E	656
24. Sangror	30.16N 75.52E	232
25. Sriganaganagar*	29.56N 73.53E	208
26. Garhwal	29.50N 78.45E	>1000
27. Karnal	29.40N 77.00E	28
28. Mukteswar	29.28N 79.39E	2170
29. Nainatal	29.23N 79.30E	2084
30. Haldwani	29.13N 79.31E	424
31. Hisar*	29.07N 75.46E	212
32. Pantnagar	29.05N 79.52E	241
33. Delhi	28.40N 77.14E	215
34. New Delhi	28.37N 77.13E	211
35. Faridpore	28.10N 79.32E	239
36. Nawalgar	27.51N 75.16E	379
37. Sikar	27.39N 75.09E	426
38. Tinsukia	27.30N 95.22E	116
39. Agra	27.10N 77.32E	454
40. Lucknow	26.47N 80.52E	131
41. Kanpur	26.27N 80.19E	126
42. Jodhpur	26.18N 73.08E	232
43. Pusa	25.56N 85.37E	42
44. Samastip	25.46N 85.48E	39
45. Allahabad	25.26N 81.50E	71
46. Kasai Hil	25.12N 81.50E	71
47. Bihar	25.09N 85.28E	51
48. Udaipur	24.34N 73.40E	598
49. Sardar Kushinagar	24.21N 72.19E	160
50. Deesa	24.14N 72.13E	118
51. Kutch	24.00N 69.53E	>1000
52. Birbhum	23.55N 87.32E	>1000
53. Nawagao	23.38N 73.28E	317
54. Negunga	23.37N 69.31E	9
55. Rapar	23.32N 70.40E	78
56. Kamthko	23.28N 70.28E	116
57. Shajahnar	23.27N 76.21E	442
58. Jaora	23.26N 74.47E	459
59. Dudhai	23.19N 70.07E	43
60. Nakhatrana	23.19N 69.15E	163
61. Bachau	23.16N 70.20E	40
62. Magwana	23.13N 69.22E	185

63. Bhuj	23.12N 69.54E	100
64. Jabalpure	23.10N 79.59E	411
65. Ratlam	23.09N 74.59E	488
66. Marble Rocks	23.08N 79.52E	1065
67. Anjar	23.06N 70.05E	80
68. Bada	22.53N 69.09E	6
69. Barrackpore	22.45N 88.20E	25
70. Serampore	22.44N 88.21E	17
71. Indore	22.42N 75.54E	546
72. Calcutta	22.35N 88.21E	13
73. Howrah	22.35N 88.20E	13
74. Mhow	22.32N 75.49E	577
75. Sumrasar	22.26N 70.25E	43
76. Rajnigiri	21.29N 86.49E	
77. Akola	20.44N 77.00E	28
78. Phulbani	20.27N 84.15E	485
79. Bhubaneshwar	20.19N 85.50E	25
80. Mandavni	20.07N 73.09E	242
81. Nasik	20.00N 73.52E	646
82. Konarka	19.53N 86.07E	1
83. Rahuri	19.26N 72.43E	>500
84. Bandra	19.04N 72.58E	12
85. Matheran	18.59N 73.28E	677
86. Malabar Point	18.57N 72.48E	0
87. Bombay	18.56N 72.51E	33
88. Jeypore	18.51N 82.51E	660
89. Lonauli	18.45N 73.27E	624
90. Rudrangi	18.37N 78.40E	393
91. Pune	18.34N 73.58E	570
92. Latur	18.24N 76.36E	630
93. Phaltan	17.56N 74.25E	568
94. Mahabaleshwar	17.56N 73.42E	1353
95. Waltair	17.50N 83.20E	0
96. Sholapur	17.43N 75.56E	458
97. Satara	17.41N 74.00E	567
98. Visahakhapatnan	17.39N 83.16E	0
99. Secundarabad	17.26N 78.29E	543
100. Hyderabad	17.15N 78.27E	494
101. Dharwad	15.30N 75.04E	700
102. Marmagao	15.26N 73.50E	2
103. Castle Rock	15.15N 74.22E	62
104. Mudigere	13.11N 75.36E	915
105. Madras	13.05N 80.18E	15
106. Poonamallee	13.02N 80.04E	22
107. Adyar	13.01N 80.14E	16
108. Bangalore	12.58N 77.35E	914
109. Mangalore	12.54N 74.51E	45
110. Chingleput	12.42N 80.01E	36
111. Yarakapadi*	12.18N 78.38E	
112. Mysore	12.18N 76.37E	734
113. Pondicherry	11.57N 79.43E	0
114. Coonoor	11.20N 76.49E	1501
115. Calicut	11.15N 75.45E	1
116. Malappura	11.04N 76.04E	39

117. Coimbatore	11.00N 76.57E	380
118. Kaikalur	10.58N 97.50E	18
119. Walayar	10.50N 76.50E	215
120. Anamalai Hills	10.35N 76.56E	258
121. Kodaikanal	10.12N 77.28E	1967
122. Cochin	9.58N 76.13E	0
123. Sivakasi	9.26N 77.50E	101
124. Kovilpatti	9.05N 77.49E	105
125. Turumelvelli	8.45N 77.43E	47
126. Trivandrum	8.41N 76.57E	1
<b>INDONESIA</b>		
1. Muneng	7.28S 111.30E	65
2. Surabaya	7.14S 112.45E	1
3. Jawa Bara	6.13S 106.58E	1
4. Tandjung Priuk	6.08S 106.46E	1
5. Djakarta	6.08S 106.45E	1
6. Antjol	6.07S 106.49E	1
<b>IRAN</b>		
1. Ghasre-e-Shirin*	34.30N 45.35E	343
2. Bishe-Moobed*	33.18N 48.53E	1444
3. Malavi	33.15N 47.47E	1300
4. Mehran*	33.07N 46.10E	136
5. Andimeshk*	32.27N 48.21E	136
6. Dezfol*	32.23N 48.28E	148
7. Lali*	32.21N 49.06E	947
8. Deh Lowran*	32.10N 48.46E	169
9. Shoshtar*	32.03N 48.51E	67
10. Soush*	32.00N 48.00E	90
11. Masjed Suleiman*	31.59N 49.18E	337
12. Ghalieh-Khajeh*	31.40N 49.41E	986
13. Ahwaz*	31.17N 48.43E	33
14. Behbahan*	30.34N 50.18E	317
15. Kharman	30.31N 54.49E	2455
16. Dogonbadan*	30.21N 50.48E	724
17. Bidkhan*	29.36N 56.30E	2726
18. Kazeroun*	29.35N 51.40E	846
19. Neyriz*	29.14N 54.18E	597
20. Bam*	29.01N 58.04E	1000
21. Bushehr*	28.59N 50.50E	13
22. Fasa*	28.55N 53.39E	1336
23. Darab*	28.45N 54.33E	1200
24. Jiroft*	28.41N 57.48E	1750
25. Jahrom*	28.29N 53.32E	1120
26. Karzin	28.25N 53.07E	693
27. Ghir	28.13N 52.03E	1050
28. Khormoj*	28.00N 51.00E	72
29. Kangan*	27.51N 52.07E	156
30. Rodan*	27.50N 57.01E	
31. Saravan*	27.45N 62.17E	1163
32. Lar*	27.42N 54.19E	807
33. Iranshahr*	27.12N 60.41E	551
34. Bandar Abbas*	27.12N 56.15E	2
35. Minab*	27.07N 57.06E	47
36. Irandegan*	27.03N 61.22E	1148

37. Gheshm Island*	26.48N 55.46E	3
38. Bandar Lengeh*	26.34N 54.52E	0
39. Kalleh-Gan*	26.31N 61.16E	905
40. Rash*	26.13N 61.28E	1700
41. Basam Chah Bahar*	25.16N 60.41E	8
<b>IRAQ</b>		
1. Khanaqin	34.22N 45.22E	176
2. Jalola	34.16N 45.10E	185
3. Mandali	33.50N 45.22E	104
4. Al Basra	30.29N 47.49E	24
<b>LAOS</b>		
1. Muong Sing	21.10N 101.06E	782
2. Pakluong	20.56N 102.46E	569
3. Vientiane	17.59N 102.38E	149
4. Pakse	15.07N 105.47E	86
<b>MYANMAR</b>		
1. Myitkyina	25.24N 97.25E	158
2. Mong La*	22.07N 97.55E	811
3. Pyin-oo-lwin*	22.05N 96.33E	1070
4. Nyang Yin Win	21.59N 95.41E	98
5. Mandalay*	21.57N 96.04E	80
6. Sagaing	20.55N 95.57E	78
7. Taung-gyi	20.49N 97.01E	534
8. Shwegyin	17.56N 96.59E	17
9. Tha-Hton	17.03N 97.19E	25
10. Yangon	16.47N 96.10E	9
11. Moulmein	16.30N 97.39E	17
12. Tenasserim	12.03N 98.59E	11
<b>NEPAL</b>		
1. Jumla	28.24N 83.33E	2662
2. Pokhara	28.14N 83.58E	895
3. Tansen*	27.52N 83.32E	1090
4. Kathmandu	27.41N 85.16E	1344
5. Nawakot	27.41N 85.43E	743
<b>OMAN</b>		
1. Mussandam	26.22N 56.31E	160
2. Jazirat-al-Hamra	25.40N 55.46E	0
3. Ash Shinas	24.45N 56.30E	0
4. Abu Dhabi	24.28N 54.25E	3
5. As Suhar	24.23N 56.45E	4
6. Buraimi	24.15N 55.45E	285
7. Al Khaburah	23.59N 57.10E	0
8. Diqal*	23.53N 56.54E	119
9. Dhahir	23.42N 56.33E	601
10. Qurm*	23.36N 58.29E	14
11. Seeb*	23.34N 58.15E	46
12. Ar Rustaq	23.25N 57.29E	365
13. Quryat	23.15N 58.53E	9
14. Nazwa	22.56N 57.32E	493
15. Birkat-al-Maw	22.55N 57.14E	777
16. Muscat	22.41N 58.32E	127
17. Sur	22.34N 59.32E	0
18. Bilad Bani Asam	22.04N 59.16E	113
19. Al Jibal	22.04N 56.0E	84

20. Salalah	17.00N 54.04E	0
<b>PAKISTAN</b>		
1. Wazirabad	34.29N 71.52E	446
2. Mardan	34.14N 72.05E	285
3. Charsadda	34.12N 71.46E	281
4. Peshawar*	34.01N 71.40E	317
5. Bagh-i-Aram	34.00N 73.49E	284
6. Nowshera	34.00N 72.00E	726
7. Khairaabad	33.54N 72.14E	259
8. Attock	33.52N 72.20E	347
9. Hisar	33.47N 71.01E	846
10. Islamabad	33.44N 75.11E	192
11. Rawalpindi	33.40N 73.08E	522
12. Kohat	33.35N 71.29E	363
13. Gujrat Khan	33.19N 73.23E	202
14. Pindi Gheb	33.16N 72.21E	463
15. Shakadarra	33.13N 71.30E	594
16. Miram Shah	33.00N 70.05E	918
17. Jelum	32.58N 73.45E	211
18. Bannu	32.58N 70.35E	363
19. Chakwal	32.56N 72.53E	499
20. Razmak	32.41N 69.56E	1931
21. Gujrat	32.35N 74.06E	220
22. Mianwali	32.32N 71.33E	183
23. Sialkot	32.29N 74.35E	256
24. Khushab	32.17N 72.20E	174
25. Wana	32.15N 69.34E	1361
26. Gujranwala	32.06N 74.11E	250
27. Dera Ghazi Khan	32.05N 70.44E	122
28. Sargodha	32.01N 72.40E	193
29. Khishkan	32.01N 72.17E	148
30. Sahiwal	31.57N 72.22E	165
31. Dera Ismail Khan	31.51N 70.56E	166
32. Shekhupura	31.42N 74.08E	208
33. Bhakkar	31.40N 71.08E	160
34. Lodhi	31.38N 72.39E	162
35. Lahore	31.34N 74.22E	208
36. Faisalabad	31.25N 73.09E	172
37. Jhang Marghiana	31.19N 72.22E	158
38. Kashr	31.07N 74.30E	
39. Leiah	30.59N 70.58E	144
40. Toba Tek Singh	30.54N 72.30E	150
41. Pishin	30.33N 67.01E	1556
42. Kot Add	30.31N 71.00E	130
43. Hyderabad	30.28N 72.14E	137
44. Rahim yar Khan	30.28N 71.00E	1800
45. Loralai	30.20N 68.41E	1419
46. Khanewal	30.17N 72.00E	128
47. Multan	30.10N 71.36E	124
48. Harnai	30.05N 68.00E	873
49. Vihari	30.03N 72.32E	136
50. Bahawatnagar	29.57N 73.23E	144
51. Kohlu	29.56N 69.20E	1184
52. Mastung	29.44N 66.56E	1702

53. Lyallpur	29.36N 71.48E	112
54. Lodhran	29.32N 71.40E	111
55. Sibi	29.31N 67.54E	131
56. Dadhor	29.27N 67.35E	1329
57. Kechi Kalat	29.15N 69.19E	803
58. Fort Abbas	29.12N 73.00E	139
59. Lahri	29.12N 68.15E	120
60. Dera Nawab	29.09N 71.15E	101
61. Dalbandin	28.56N 64.30E	843
62. Liaquatpur	28.55N 70.57E	96
63. Temple Dera	28.29N 68.14E	61
64. Sadiqabad	28.16N 70.09E	75
65. Jacobabad	28.16N 68.30E	60
66. Kholistan	28.15N 70.45E	88
67. Thul	28.14N 68.50E	60
68. Sukkur	28.11N 68.44E	62
69. Shikarpur	27.58N 68.42E	63
70. Larkana*	27.33N 68.18E	44
71. Kharipur	27.30N 68.50E	50
72. Khaipur Nathan Shah	27.09N 67.45E	34
73. Mahri	26.59N 66.45E	909
74. Dadu	26.42N 67.48E	24
75. Bela	26.14N 66.19E	75
76. Turbot	26.00N 63.06E	151
77. Uthal	25.48N 66.40E	16
78. Tandojam	25.25N 68.31E	12
79. Karachi	24.51N 67.02E	15
80. Tatta	24.44N 67.58E	878
81. Gharo	24.44N 67.35E	24
82. Badin	24.38N 68.53E	5
83. Chhad Bet	24.14N 70.09E	
<b>SAUDI ARABIA</b>		
1. Al Gassem	26.41N 42.50E	
2. Al Kharj	24.14N 47.22E	412
3. Riyadh*	24.39N 46.52E	6
<b>SRI LANKA</b>		
1. Kuchchaveli	8.49N 81.05E	2
2. Kondaichchi	8.43N 79.58E	10
3. Trincolmalee	8.34N 81.13E	4
4. Mullikulam	8.34N 79.55E	10
5. China Bay	8.33N 81.11E	10
6. Tampalakamam	8.30N 81.05E	1
7. Anuradhapura*	8.18N 80.24E	8
8. Mavilla	8.11N 81.16E	16
9. Punanai	7.58N 81.22E	32
10. Kottapitiy	7.48N 80.50E	108
11. Madagama	7.37N 80.17E	166
12. Matale	7.28N 80.37E	534
13. Kurunegala	7.28N 80.23E	305
14. Hassalaka	7.20N 80.57E	164
15. Mahiyangana	7.19N 80.58E	126
16. Makandura*	7.19N 79.58E	19
17. Kandy	7.17N 80.40E	473
18. Maduru	7.16N 81.13E	230

19. Peradeniya	7.15N 80.35E	575
21. Kegalla	7.14N 80.21E	301
22. Minipe	7.13N 80.58E	153
23. Bibile	7.09N 81.14E	304
24. Paradeniya	7.05N 80.16E	137
25. Kelaniya	6.59N 79.55E	11
26. Colombo	6.55N 79.52E	5
27. Nawela	6.54N 81.04E	212
28. Welimada	6.54N 80.55E	1128
29. Kalatuwawa	6.51N 80.10E	132
30. Ratmalana	6.48N 79.54E	1
31. Okkampitiya	6.45N 81.16E	128
32. Gampalia	6.43N 81.01E	439
33. Gilimale	6.43N 80.25E	154
34. Uggalkaltota	6.39N 80.53E	1532
35. Hunuwella	6.36N 80.36E	179
36. Kalutara	6.35N 79.59E	15
37. Kitulkote	6.30N 81.07E	89
38. Bodagama	6.25N 81.05E	89
39. Induruwa	6.22N 80.00E	0
40. Yala	6.22N 81.30	2
41. Hiniduma	6.19N 80.20E	148
42. Palatupana	6.16N 81.24E	3
43. Angunakolapelessa	6.10N 80.54E	29
44. Hambatota	6.07N 81.07E	0
<b>SUDAN</b>		
1. Al Khartum	15.35N 32.32E	377
<b>THAILAND</b>		
1. Mae Ai	20.12N 100.17E	459
2. Fang*	20.05N 99.30E	471
3. Chiang Rai	19.56N 99.51E	385
4. Ahn Kang	19.54N 99.31E	
5. Ban Huai Nam Dang	19.31N 99.43E	405
6. Chiang Dao	19.22N 98.59E	380
7. Doi Saket	18.52N 99.09E	349
8. Chiang Mai*	18.48N 98.59E	310
9. Muang Nan	18.47N 100.50E	200
10. Ban Mae Hae	18.47N 98.32E	117
11. Lampang	18.16N 99.30E	237
12. Nong Khai*	17.52N 102.44E	168
13. Ban Na Phiang	17.40N 104.15E	138
14. Uttaradit*	17.37N 100.06E	246
15. Loei	17.28N 101.43E	253
16. Udon Thani*	17.24N 102.47E	174
17. Sam Ngao	17.12N 99.03E	108
18. Sakhon Nahon*	17.10N 104.08E	176
19. Ban Dan Lan Hoi	17.00N 99.42E	52
20. Tak*	16.51N 99.08E	111
21. Phitsanulok*	16.50N 100.15E	41
22. Kamphaeng Phet	16.28N 99.31E	75
23. Khon Kaen*	16.26N 102.49E	164
24. Roi Et*	16.05N 103.38E	143
25. Nakhon Sawan	15.42N 100.04E	43

26. Khao Yai Nat Pk	15.23N 99.22E	1246
27. Ubon Ratchathani*	15.13N 104.51E	12
28. Ban Khan	15.13N 102.28E	147
29. Nakhon Ratchasima*	15.00N 102.06E	177
30. Lopburi*	14.49N 100.37E	6
31. Ang Thong*	14.35N 100.25E	14
32. Saraburi	14.32N 10.53E	21
33. Nakhon Nayok	14.15N 101.12E	23
34. Suphan Buri*	14.14N 100.07E	10
35. Ban Peng	14.13N 100.34E	9
36. Sai Yok	14.09N 99.10E	40
37. Ban Khlong Sip	14.04N 100.49E	15
38. Kanchanburi	14.02N 99.32E	53
39. Amphoe Kabin Buri	13.58N 101.43	10
40. Kamphaeng Saen	13.58N 99.57E	10
41. Nakhon Pathom	13.49N 100.02E	3
42. Chachoengsao	13.39N 101.03E	2
43. Bangkok*	13.39N 100.31E	0
44. Samut Prakan*	13.32N 100.35E	2
45. Ratchaburi*	13.31N 99.47E	19
46. Samut Songkhram*	13.25N 100.01E	5
47. Chon Buri*	13.21N 100.58E	6
48. Phetburi*	13.05N 99.58E	5
49. Ban Sara Khuan	13.01N 99.55E	11
50. Pattaya	12.56N 100.52E	8
51. Ban Hua Hin	12.56N 100.02E	1
52. Cha Am	12.48N 99.57E	8
53. Chantaburi*	12.36N 102.07E	6
54. Sattahip	12.36N 100.56E	4
55. Trat*	12.16N 102.30E	12
56. Prachuap Khiri Khan*	11.50N 100.01E	1
57. Chumphon*	10.30N 99.11E	11
58. Ban Pak Chan	10.32N 98.51E	16
59. Ko Phangan*	9.43N 100.00E	16
60. Ko Samui*	9.25N 99.58E	275
61. Chaiyaphum*	9.25N 99.13E	210
62. Surat Thani*	9.07N 99.19E	6
63. Ta Sala	8.40N 99.55E	1
64. Nakhon Si Thammarat	8.25N 99.58E	9
65. Narathiwat	6.25N 101.51E	2
<b>UNITED ARAB EMIRATES</b>		
1. Ra's al Khaymah	25.47N 55.56E	26
2. Diba	25.37N 56.16E	17
3. Masafi	25.18N 56.09E	567
4. Dibai	25.15N 55.16E	8
5. Abu Dhabi	24.28N 54.22E	3
6. Buraimi	24.15N 55.45E	285
<b>VIETNAM</b>		
1. Sonla*	21.19N 103.54E	662
2. Ha Noi	21.01N 105.50E	25
3. Chieng Khua*	20.51N 104.28E	1171
4. Moc Chau*	20.15N 104.37E	1050
5. Kon Tum*	14.22N 107.57E	513
6. Pleiku*	14.07N 108.04E	792

7. Mt Lang Bian	12.59N 108.32E	1553
8. Ban Me Thaot	12.41N 108.02E	481
9. Ninh Hoa	12.28N 109.07E	12
10. Nha Trang	12.15N 109.10E	3
11. Dalat*	11.56N 108.25E	1475
12. Fyan	11.52N 108.12E	971
13. Di Linh	11.36N 108.08E	964
14. Phan Rang	11.34N 109.00E	5
15. Blao	11.33N 107.49E	200
16. Phan Thiet	10.56N 108.06E	10
17. Ho Chih Minh City	10.46N 106.43E	4
18. Cho Gao*	10.20N 106.28E	0
19. Pho Quoc Island*	10.19N 104.00E	115
20. Can Tho*	10.03N 105.46E	2
21. Uminh*	9.20N 104.54E	
22. Karyu Danar		

References to the distribution of *A. florea* by countries listed above are as follows. **Bangladesh:** Dewan, 2001; Hossain and Sharif, 1988; Islam, 2000; Maa, 1953; Murrell and Nash, 1981; Nash and Murrell, 1981; Otis, 1991, 1994, 1997; Otis et al., 2001; Partap and Verma, 2000; **Bhutan:** Ghalay, 1996; Verma, 1992; **Cambodia:** Maa, 1953; Massé, 1950; Otis, 1991, 1994, 1997; Otis et al., 2001; Partap and Verma, 2000; Poilane, 1926; **China:** Ashmead, 1904; Chen, 1993, 2003; Gong, 1983; Kellogg, 1938; Kuang and Li, 1985, 1988; Kuang and Tan, 1996; Kuang et al., 2002; Li et al., 1986; Maa, 1953; Otis, 1991, 1994, 1997; Otis et al., 2001; Partap and Verma, 2000; Rinderer et al., 1993, 1995; Sakagami, 1960; Wang, 1989; Woyke, 1976, 2000; Woyke and Wongsiri, 1992; Wu and Kuang, 1986, 1987; **India:** Aggarwal and Kapil, 1988; Ashmead, 1904; Bhandari, 1983; Bingham, 1897; Chahal et al., 1986; Chaudhary et al., 1994; Deodikar, 1959; Deodikar et al., 1977; Dhaliwal and Atwal, 1969; Ghatge, 1949; Govindappa and Shivamurthy, 1975; Griffiths and Bowman, 1981; Gupta and Kapil, 1984; Jain, 1967; Kshirsagar et al., 1983; Maa, 1953; Makhmoor and Ahmad, 2001; Mehta, 1948; Millen, 1944; Morse et al., 1967; Muttoo, 1957; Narayanan et al., 1960; Nixon, 1983; Oldroyd et al., 1992; Otis, 1991, 1994, 1997; Pandey, 1974; Parthiban et al., 1994; Patel et al., 1988; Petrov, 1992; Phadke, 1968; Pundir, 1971; Rahman and Singh, 1946, 1950; Ramanujam and Kalpana, 1992; Ratnam, 1939; Reddi et al., 1983; Ruttner, 1988; Saini et al., 1983; Sandhu and Singh, 1960; Sen Sarma et al., 2000; Sharma, 1983; Sheikh and Chetry, 2000; Sihag and Abrol, 1986; Singh and Singh, 1981; Singh et al., 1995; Sinha and Chakrabarti, 1983; Skorikov, 1929; Soman, 1990; Soman and Chawda, 1996; Stitz and Szebe, 1933; Surdacki, 1973; Thakar and Tonapi, 1962; Woyke, 1976, 2000; **Indonesia:** Franssen, 1932; Hadorn, 1946; Maa, 1953; Otis, 1997; Otis et al., 2001; Raffiudin and Crozier, 2001; von Buttel-Reepen, 1906, 1921; **Iran:** Ahmadi, 1988; Alizadeh and Mossadegh, 1994; Askendari, 1970; Dewan, 2001; Komeili, 1990; Mossadegh and Birjandi, 1986; Mossadegh, 1991, 1993, 1994; Otis, 1991, 1994, 1997; Otis et al., 2001; Polous, 1969; Pourasghar, 1979; Ruttner, 1988; Ruttner et al., 1985, 1995; Tahmasebi et al., 1998; Tirgari, 1971; Tirgari et al., 1969; Warncke, 1979; **Iraq:** Bradbear, 1988, 2001; Glaiim, 1992; **Laos:** Massé, 1950; Petersen and Cervancia, 2001; Poilane, 1926; **Myanmar:** Bingham, 1897; Lwin, 1994; Maa, 1953; Otis, 1991, 1994,

1997; Otis et al., 2001; **Nepal:** Allen, 1995; Allen and Ball, 1996; Anonymous, 1982; Otis, 1991, 1994, 1997; Otis et al., 2001; Shrestha, 1996; Thapa et al., 2001; **Oman:** Dutton and Simpson, 1977; Dutton and Free, 1979; Free, 1981; Whitcombe, 1980, 1984; **Pakistan:** Crane, 1997; Khan, 1992; Maa, 1953; Mogga and Ruttner, 1988; Muzaffar and Ahmad, 1989a,b; Otis, 1991, 1994, 1997; Otis et al., 2001; Smith, 1990, 1991; Yoshida, 1999; **Philippines:** de Guzman et al., 1992; **Saudi Arabia:** Al'ghamdi and Al'mugharabi, 2000; Brown and Hamer, 1983; **Sri Lanka:** Bingham, 1897; Keeling et al., 2000; Koeniger, 1988; Koeniger, 1976; Koeniger and Wijayagunasekara, 1976; Koeniger and Vorwohl, 1979; Koeniger et al., 1982, 1989, 1993; Maa, 1953; Otis, 1991, 1994, 1997; Otis et al., 2001; PUNCHIHEWA et al., 1985; Sakagami, 1960; Sheppard and Berlocher, 1989; von Buttler-Reepen, 1906, 1921; Yoshida, 1999; **Sudan:** Lord and Nagi, 1987; Mogga and Ruttner, 1988; **Thailand:** Akwatanakul, 1977; Chaiyawong, 2001; Dyer, 1987; Dyer and Seeley, 1991a,b; Enderlein, 1906; Gan et al., 1991; Griffiths and Bowman, 1981; Koeniger, 1988; Koeniger, 1976; Koeniger and Wijayagunasekara, 1976; Koeniger and Vorwohl, 1979; Koeniger et al., 1982, 1989, 1993; Lekprayoon and Tangkanasing, 1991; Maa, 1953; Morse et al., 1967; Morse and Benton, 1967; Nixon, 1983; Oldroyd et al., 1992; Otis, 1991, 1994, 1997; Otis et al., 2001; Petrov, 1992; Rinderer et al., 1993, 1995; Ruttner, 1988; Ruttner et al., 1985, 1995; von Buttler-Reepen, 1906, 1921; Wongsiri et al., 1990, 1996; Woyke 1976, 2000; Yoshida, 1999; **United Arab Emirates:** Brown and Hamer, 1983; Karpowicz, 1980; **Vietnam:** Dung et al., 1996; Maa, 1953; Massé, 1950; Mulder, 1992; Otis, 1991, 1994, 1997; Otis et al., 2001; Poilane, 1926; Trung et al., 1996; Woyke and Wongsiri, 1992.

## REFERENCES

- Aggarwal K., Kapil R.P. (1988) Seasonal population dynamics of *Tropilaelaps clareae* (Acari: Laelapidae) in *Apis dorsata* colonies, in: Channabasavanna G.P., Viraktamath C.A. (Eds.), Progress in Acarology, Oxford and IBH Publishing Company, New Delhi, India, pp. 283-286.
- Ahmadi A.A. (1988) Parasites of *Apis florea* in Iran, Bee World. 69, 159-161.
- Akratanakul P. (1977) The natural history of the dwarf honey bee, *Apis florea* F. in Thailand, Thesis, Cornell University, Ithaca, New York, pp. 1-91.
- Al'ghamdi A., Al'mugharabi J. (2000) *Apis florea* in Saudi Arabia, Proc. 4<sup>th</sup> Asian Apic. Assoc. Conf. pp. 44-45.
- Alizadeh A., Mossadegh M.S. (1994) Stonebrood and some other fungi associated with *Apis florea* in Iran, J. Apic. Res. 33, 213-218.
- Allen M.F. (1995) Bees and beekeeping in Nepal, Bee World. 76, 185-194.
- Allen M., Ball B.V. (1996) The incidence and world distribution of honey bee viruses, Bee World. 77(3), 141-162.
- Anonymous (1982) Pollination trial in Chinese cabbage, Lumle Agricultural Centre Annual Report, pp. 16-18.
- Ashmead W.H. (1904) Remarks on honey bees, Proc. Entomol. Soc. Wash. 6, 120-123.
- Askendari H. (1970) The biology of the little honeybee (*Micrapis florea* F.) in Khuzestan, Thesis, Iran. (in Persian).
- Bhandari V.C. (1983) Biometrical studies on *Apis florea* F. and *Apis dorsata* F. of northwestern India, Thesis, Himachal Pradesh University, Simla, India, pp. 1-92.

- Bingham C.T. (1897) The Fauna of British India, Including Ceylon and Burma. Hymenoptera. Vol. I (wasps and bees), Taylor and Francis, London, pp. 1-579.
- Bradbear N.J. (1988) World distribution of major honeybee diseases and pests, *Bee World*. 69, 15-39.
- Bradbear N.J. (2001) Beekeeping for people living in countries under stress: Afghanistan and Iraq, Proc. 7<sup>th</sup> Int. Conf. Apic. Trop. Climates, Chiang Mai, pp. 421-425.
- Brown B., Hamer I. (1983) An unusual recording of honeybees (*Apis florea*) in Abu Dhabi, Bull. Emirates Nat. Hist. Group (Abu Dhabi) 19, 28.
- Chahal B.S., Brar H.S., Gatoria G.S., Jhajj H.S. (1986) Aggressive behaviour of *Apis florea* towards *Apis mellifera* in hive robbing and in foraging, *J. Apic. Res.* 25, 134-138.
- Chaiyawong T. (2001) Morphometric study of *Apis florea* in Thailand, MSc. Thesis, Chulalongkorn University, Bangkok, Thailand, 108 pp.
- Chaudhary O.P., Chawda S.S., Kumar R. (1994) Large scale honey production from *Apis florea* in the Kutch region of Gujarat, India, *Bee World*. 75, 94-95.
- Chen Y. (1993) Apiculture in China, Agricultural Scitech Publishing House of China, Beijing, pp. 1-178.
- Chen Y. (2003) The Apicultural Science in China, Beijing, pp. 1-777.
- Cockerell T.D.A. (1911) Descriptions and records of bees, *Ann. Mag. Nat.Hist.Series*, London 8(7), 310-319.
- Crane E. (1997) Beekeeping with *Apis florea* in the Indus basin and some other areas, *Bee World*. 78(2), 63-66.
- de Guzman L.I., Forbes M., Cervancia C.R., Rinderer T.E., Somera S. (1992) *Apis andreniformis* Smith in Palawan, Philippines, *J. Apic. Res.* 31, 111.

- Deodikar G.B. (1959) Geographical distribution based on morphological characters (structure of genitalia and crossability among different bee species), *Indian Bee J.* 23, 60-61.
- Deodikar G.B., Ghatge A.L., Phadke R.P., Mahindre D.B., Kshirsagar K.K., Muvel K.S., Thakar C.V. (1977) Nesting behaviour of Indian honeybees. III. Nesting behaviour of *Apis dorsata* Fab., *Indian Bee J.* 39(1/4), 1-12.
- Dewan S.M.A.L. (2001) Foraging and resource utilization of *Apis* spp. (Hymenoptera: Apidae) of Bangladesh, Thesis, University of Wales, Cardiff.
- Dhaliwal G.S., Atwal A.S. (1969) Comparative aggressiveness of the four species of *Apis* under controlled conditions, *Indian Bee J.* 31, 17-21.
- Dover C. (1929) Wasps and bees in the Raffles Museum, Singapore, *Bull. Raffles' Museum, Singapore* 2, 43-70.
- Drory E. (1888) From my notebook: notes on bees from a trip around the world, *Bienenvater* 20, 20-30. (in German).
- Dung P.X., Thai P.H., Trung L.Q. (1996) Some comparative characteristics between *Apis florea* and *Apis andreniformis* in Minh Hai Province, Proc. 3<sup>rd</sup> Asian Apic. Assoc. Hanoi, p. 62.
- Dutton R.W., Free J.B. (1979) The present status of beekeeping in Oman, *Bee World.* 60, 176-185.
- Dutton R., Simpson J. (1977) Producing honey with *Apis florea* in Oman, *Bee World.* 58, 71-76.
- Dyer F.C. (1987) Mechanisms of dance orientation in the Asian honey bee *Apis florea* L., *J. Comp. Physiol. A* 157(2), 183-198.
- Dyer F.C., Seeley T.D. (1991a) Nesting behavior and the evaluation of worker tempo in four honey bee species, *Ecology* 72, 156-170.

- Dyer F.C., Seeley T.D. (1991b) Dance dialects and foraging range in three Asian honey bee species, *Behav. Ecol. Sociobiol.* 28, 227-233.
- Enderlein G. (1906) New honeybees and contribution to the distribution of the genus *Apis*, *Stett. Entomol. Ztg.* 67, 331-334. (in German).
- Engel M.S. (1999) The taxonomy of recent and fossil honey bees (Hymenoptera: Apidae; *Apis*), *J. Hymenopt. Res.* 8, 165-196.
- Fabricius J.C. (1787) *Mantissa Insectorum, Hafniae, Proft.* Vol. 1, pp. 348. (cited from Maa, 1953).
- Franssen C.J.H. (1932) Notes on *Micrapis florea* F., *Natuur. Tijds. Nederlandsch-Indie* 92, 55-63.
- Free J.B. (1981) Biology and behaviour of the honeybee, *Apis florea*, and possibilities for beekeeping, *Bee World*, 62, 46-59.
- Gan Y.Y., Otis G.W., Mardan M.B., Tan S.G. (1991) Allozyme diversity in Asian *Apis*, in: Smith D.R. (Ed.), *Diversity in the Genus Apis*, Westview Press, Boulder, Co., pp. 117-130.
- Gerstäcker C.E.A. (1863) On the geographical distribution of honeybees, *Ann. Mag. Nat. Hist.*, London 11, 270-283, 333-347.
- Ghalay D.R. (1996) Beekeeping in Bhutan, *Proc. 3<sup>rd</sup> Asian Apic. Assoc. Conf.*, Hanoi, pp. 208-210.
- Ghatge A. (1949) Some research work on *Apis florea*, *Indian Bee J.*, 11. 5-6, 9.
- Glaiim M.K. (1992) First definite record of *Apis florea* in Iraq, *Beek. Dev.* 24, 3.
- Gong Y.F. (1983) The natural beekeeping conditions and honeybee races in China, *J. Fujian Agric. Coll.* 12(3), 241-249.
- Govindappa D.A., Shivamurthy G.R. (1975) The pollination mechanism in *Balanophora abbreviate*, *Ann. Bot.* 39, 977-978.

- Griffiths D.A., Bowman C.E. (1981) World distribution of the *Varroa jacobsoni*, a parasite of honeybees, *Bee World*. 62, 154-163.
- Gupta M., Kapil R.P. (1984) Olfactory response of workers of *Apis florea* F. to some repellents in semi-field conditions, *Proc. 5<sup>th</sup> Int. Symp. Pollination*, Versailles, France, pp. 65-78.
- Hadorn H. (1946) Observations on wild bees in Sumatra, *Schweiz. Bienenztg*, (in German).
- Hepburn H.R. (2004) Absconding, migration and swarming in honeybees: an ecological and evolutionary perspective, *Proc. IUSSI Conf. on Social Insects*, St. Petersburg. (in press).
- Hepburn H.R., Smith D.R., Radloff S.E., Otis G.W. (2001a) Intraspecific categories of *Apis cerana*: morphometric, allozymal and mtDNA diversity, *Apidologie* 32, 3-23.
- Hepburn H.R., Radloff S.E., Verma S., Verma L.R. (2001b). Morphometric analysis of *Apis cerana* populations in the southern Himalayan region, *Apidologie* 32, 435-447.
- Hossain A.B.M.E., Sharif M. (1988) Beekeeping potentials of Bangladesh. I. Studies on the important honey and pollen sources of northern Chittagong region, Bangladesh, *J. Zool.* 16(1), 23-30.
- Islam M.N. (2000) Beekeeping in Bangladesh, *Proc. 4<sup>th</sup> Asian Apic. Assoc.*, Kathmandu, Nepal, pp. 271-272.
- Jain P.C. (1967) Morphometrics of bees *Apis dorsata* F., *Apis indica* F., *Apis florea* F., *Megachile lanata* F., *Trigona smithii* B. (Hymenoptera, Apidae) and their foraging habits at Udaipur, Thesis, University of Udaipur, Udaipur, India.
- Johnson R.A., Wichern D.W. (1998) *Applied Multivariate Statistical Analysis*, 4<sup>th</sup> Edition, Prentice Hall, Upper Saddle River, New Jersey.
- Karpowicz J. (1980) Special Report - *Apis florea* in Dhofar, Oman Ministry of Agriculture and Fisheries and Durham University. (cited from Whitcombe, 1984).

- Keeling C.I., Slessor K.N., Koeniger N., Koeniger G., Punchihewa R.W.K. (2000) Quantitative analysis of the mandibular gland components of the dwarf honey bee (*Apis florea*), *Apidologie* 31, 293-299.
- Kellogg C.R. (1938) Biometrical studies on *Apis florea* Fabricius, *The China J.* 28, 173-176.
- Khan B.M. (1992) Honeybee resources in North West Frontier Province of Pakistan, in: Verma L.R. (Ed.), *Honeybees in Mountain Agriculture*, Oxford and IBH Publishing Company, New Delhi, India, pp. 59-65.
- Koeniger G. (1988) Mating behavior of honey bees, in: Needham G.R., Page R.E., Delfinado-Baker M., Bowman, C.E. (Eds.), *Africanized Honey Bees and Bee Mites*, Ellis Horwood, Chichester, United Kingdom, pp. 167-172.
- Koeniger G. (1991) Diversity in *Apis* mating systems, in: Smith D.R. (Ed.), *Diversity in the Genus Apis*, Westview Press, Boulder, Co., pp. 199-212.
- Koeniger N. (1976) Interspecific competition between *Apis florea* and *Apis mellifera* in the tropics, *Bee World*. 57, 110-112.
- Koeniger N., Wijayagunasekara N.H.P. (1976) Time of drone flight in the three Asiatic honeybee species (*Apis cerana*, *Apis florea*, *Apis dorsata*), *J. Apic. Res.* 15, 67-71.
- Koeniger N., Vorwohl G. (1979) Competition for food among four sympatric species of Apini in Sri Lanka (*Apis dorsata*, *Apis cerana*, *Apis florea* and *Trigona iridipennis*), *J. Apic. Res.* 18, 95-109.
- Koeniger N., Koeniger G. (1991) An evolutionary approach to mating behaviour and drone copulatory organs in *Apis*, *Apidologie* 22, 581-590.
- Koeniger N., Koeniger G. (2000) Reproductive isolation among species of the genus *Apis*, *Apidologie* 31, 313-339.

- Koeniger N., Koeniger G. (2001) Behavioural mating barriers among sympatric species of the genus, *Apis*, Proc. 7<sup>th</sup> Int. Conf. Apic. Trop. Climates, Chiang Mai, pp. 80-85.
- Koeniger N., Koeniger G., Punchihewa R.W.K., Fabritius M. (1982) Observations and experiments on dance communication in *Apis florea* in Sri Lanka, J. Apic. Res. 21, 45-52.
- Koeniger N., Koeniger G., Wongsiri S. (1989) Mating and sperm transfer in *Apis florea*, Apidologie 20, 413-418.
- Koeniger N., Koeniger G., De Guzman L.I., Lekprayoon C. (1993) Survival of *Euvarroa sinhai* Delfinado and Baker (Acari, Varroidae) on workers of *Apis cerana* Fabr., *Apis florea* Fabr. and *Apis mellifera* L. in cages, Apidologie 24, 403-410.
- Komeili A.B. (1990) Beekeeping in Iran, Bee World. 71, 12-24.
- Kshirsagar K.K., Muvel K.S., Mittal M.C., Phadke R.P. (1983) Some observations on the behaviour of *Apis florea* F., Proc. 2<sup>nd</sup> Int. Conf. Apic. Trop. Climates, New Delhi, India, pp. 356-366.
- Kuang B.Y., Li Y.C. (1985) The genus *Apis* in China, Chinese Beekeeping 76, 7-9. (in Chinese).
- Kuang B.Y., Li Y.O. (1988) Studies on Apini, Scientia Agric. Sin. 21(2), 85-90. (in Chinese).
- Kuang B.Y., Tan K. (1996) Honeybee genetic diversity and its value to mountain farming, Proc. 3<sup>rd</sup> Asian Apic. Assoc., Ha Noi, Vietnam, pp. 23-33.
- Kuang B.Y., Tan K, Liu Y.Q. (2002) Honeybee biology, Yunnan Science Publishing House, Kunming, pp. 1-410. (in Chinese).
- Lavrekhin F.A. (1935) Contribution to the study of variation of the honey bee. 2. A comparative biometric characteristic of the sexual appendages of the drones belonging to different forms of the genus *Apis*, Zool. Zh. 14, 655-663. (in Russian).

- Lekprayoon C., Tangkanasing P. (1991) *Euvarroa wongsirii*, a new species of bee mite from Thailand, Int. J. Acarol. 17(4), 255-258.
- Li S., Meng Y.P., Chang J.T., Li J.H., He S.Y., Kuang B.Y. (1986) A comparative study of esterase isozymes in 6 species of *Apis* and 9 genera of Apoidea, J. Apic. Res. 25, 129-133.
- Lord W.G., Nagi S.K. (1987) *Apis florea* discovered in Africa, Bee World. 68, 39-40.
- Lwin N.N. (1994) The morphology of *Apis florea* (Linnaeus, 1758) and quality of its honey, Thesis, University of Yangon, pp. 1-91.
- Maa T. (1953) An enquiry into the systematics of the tribus *Apidini* or honey bees (Hymenoptera), Treubia 21, 525-640.
- Makhmoor H.D., Ahmad H. (2001) Biometric studies on four species of honey bees in Jammu region, India, Indian Bee J. 60, 141-142.
- Massé D.M. (1950) Honey bees in French Indo-China, Am. Bee J. 90, 17.
- Mehta V.K. (1948) *Apis florea*, Indian Bee J. 10, 79-81.
- Millen T.W. (1944) *Apis florea*, Indian Bee J. 6, 106-108.
- Mogga J., Ruttner F. (1988) *Apis florea* in Africa: source of the founder population, Bee World. 69, 100-103.
- Morse R.A., Shearer D.A., Boch R., Benton A.W. (1967) Observations on alarm substances in the genus *Apis*, J. Apic. Res. 6, 113-118.
- Morse R.A., Benton A.W. (1967) Venom collection from species of honeybees in southeast Asia, Bee World. 48(1), 19-29.
- Mossadegh M.S. (1991) Geographical distribution, levels of infestation and population density of the mite *Euvarroa sinhai* Delfinado and Baker (Acarina: Mesostigmata) in *Apis florea* F. colonies in Iran, Apidologie 22, 127-134.

- Mossadegh M.S. (1993) New geographical distribution line of *Apis florea* in Iran, in: Connor L.J., Rinderer T., Sylvester H.A., Wongsiri S. (Eds.), Asian Apiculture. Wicwas Press, Cheshire, Connecticut, USA, pp. 64-66.
- Mossadegh M.S. (1994) A new site for *Apis mellifera* in Iran, *Bee World*. 75(2), 95-96.
- Mossadegh M.S., Birjandi A.K. (1986) *Euvarroa sinhai* Delfinado and Baker (Acarina: Mesostigmata): a parasite mite on *Apis florea* F. in Iran, *Am. Bee J.* 126, 684-685.
- Mulder V. (1992) Honey and wax production from *Apis dorsata* and *Apis florea* in submerged *Melaleuca* forests in Vietnam, in: Beetsma J. (Ed.), *Bees and forests in Tropics*.
- Murrell D.C., Nash W.T. (1981) Nectar secretion by toria (*Brassica campestris* L. v. *toria*) and foraging behaviour of three *Apis* species on toria in Bangladesh, *J. Apic. Res.* 20, 34-38.
- Muttoo R.N. (1957) Some so called “peculiarities” of behaviour of Indian honeybees as compared to the European bees, *Indian Bee J.*, 19, 62-64.
- Muzaffar N., Ahmad R. (1989a) Distribution and competition of *Apis* spp. in Pakistan, *Proc. 4<sup>th</sup> Int. Conf. Apic. Trop. Climates*, Cairo, Egypt, pp. 449-452.
- Muzaffar N., Ahmad R. (1989b) Insect and plant sources of honeydew honey in Pakistan, *Proc. 4<sup>th</sup> Int. Conf. Apic. Trop. Climates*, Cairo, Egypt, pp. 127-133.
- Nanork P., Deowanish S., Wongsiri S. (2001) Mitochondrial DNA variability of dwarf honey bee [*Apis florea* Fabricius (1787)] in Thailand by using PCR-RFLP technique, *Proc. 7<sup>th</sup> Int. Conf. Apic. Trop. Climates*, Chiang Mai, pp. 341-345.
- Narayanan E.S., Sharma P.L., Phadke K.G. (1960) Studies on biometry of the Indian bees II. Tongue length, wing hooks, worker-brood-cell size and thickness of comb of *Apis florea* F. at Pusa (Bihar), *Indian Bee J.* 22(10/12), 81-88.
- Nash W.T., Murrell D.C. (1981) Beekeeping in Bangladesh, *Am. Bee J.* 121, 352-356.

- Nixon M. (1983) Diseases and parasites of honeybees, their distribution and introduction into new areas, in: Singh K.G. (Ed.), Exotic Plant Quarantine Pests and Procedures for Introduction of Plant Materials, ASEAN Plant Quarantine Centre and Training Institute, Serdang, Malaysia, pp. 207-221.
- Nunamaker R.A., Wilson W.T., Ahmad R. (1984) Malate dehydrogenase and non-specific esterase isoenzymes of *Apis florea*, *A. dorsata*, and *A. cerana* as detected by isoelectric focusing, J. Kansas Entomol. Soc. 57(4), 591-595.
- Oldroyd B., Rinderer T., Wongsiri S. (1992) Pollen resource partitioning by *Apis dorsata*, *A. cerana*, *A. andreniformis* and *A. florea* in Thailand, J. Apic. Res. 31(1), 3-7.
- Otis G.W. (1991) A review of the diversity of species within *Apis*, in: Smith D.R. (Ed.), Diversity in the Genus *Apis*, Westview Press, Boulder, Colorado, pp. 29-49.
- Otis G.W. (1994) Revised distribution of three recently recognized species of honey bees in Asia, Honeybee Sci. 15, 167-170. (in Japanese).
- Otis G.W. (1997) Distributions of recently recognized species of honey bees (Hymenoptera: Apidae; *Apis*) in Asia, J. Kansas Ent. Soc. 69(4 suppl.), 311-333.
- Otis G.W., Koeniger N., Rinderer T.E., Hadisoesilo S., Yoshida T., Tingek S., Wongsiri S., Mardan M.B. (2001) Comparative mating flight times of Asian honey bees, 7<sup>th</sup> Int. Conf. Trop. Bees. Chiang Mai, Thailand, pp. 137-141.
- Pandey R.S. (1974) Honey collection in relation to migration schedules of wild honey bees in Uttar Pradesh, India, Am. Bee J. 114(10), 379-379.
- Partap T., Verma L.R. (2000) Asian bees and beekeeping: issues and initiatives, Proc. 4<sup>th</sup> Asian Apic Assoc., Kathmandu, Nepal, pp. 3-14.
- Parthiban M., Baskaran S., Mohandoss A. (1994) Insect pollination of the chrysanthemum *Chrysanthemum indicum* Linn., Environ. Ecol. 12(1), 9-13.

- Patel B.H., Upadhyay V.R., Muralidharan C.M., Judal G.S. (1988) Effects of various insecticides on honey bee, *Apis florea* Fabricius in 'ber' (*Zizyphus mauritiana* Lamk), *Curr. Sci.* 57, 1199-1200.
- Petersen S., Cervancia C.R. (2001) Sustainable beekeeping development in Laos, Proc. 7<sup>th</sup> Int. Conf. Trop. Bees, Chiang Mai, Thailand, pp. 427-431.
- Petrov P. (1992) Distribution and phylogeny of the honey bee genus *Apis* (Hymenoptera, Apidae, *Uspekhi Sovremennoi Biologii* 112(3), 359-372. (in Russian).
- Phadke R.P. (1968) Studies on Indian honeys. 3. Proximate composition and physico-chemical characterizations of honeys from the wild honey bees *Apis dorsata*, *Apis florea* and *Trigona*, *Indian Bee J.* 30(1), 3-8.
- Poilane F. (1926) Notes on the honeybees of Indochina, *Bull. Econ. Indochine*, Hanoi 2, 461-464. (in French).
- Polous H. (1969) The introduction and establishment of little bee (*Micrapis florea*) at Ahwaz Agricultural College and first account on their migration, Thesis, Ahwaz Agricultural University, Iran, p. 26.
- Pourasghar D. (1979) Investigations on morphological characteristics of Iranian native honeybees, *Int. Symp. Apimondia « Apicultura en clima quente »*, Florianopolis, Brasil, pp. 95-96.
- Punchihewa R.W.K., Koeniger N., Kevan P.G., Gadawski R.M. (1985) Observations on the dance communication and natural foraging ranges of *Apis cerana*, *Apis dorsata* and *Apis florea* in Sri Lanka, *J. Apic. Res.* 24(3), 168-175.
- Pundir R.S. (1971) Hiving *Apis florea*, *Indian Bee J.* 33(3/4), 63.
- Quinn G.P., Keough M.J. (2002) *Experimental Design and Data Analysis for Biologists*, Cambridge University Press, Cambridge.

- Radloff S.E., Hepburn H.R. (1998) The matter of sampling distance and confidence levels in the subspecific classification of honeybees, *Apis mellifera* L., *Apidologie* 29, 491-501.
- Radloff S.E., Hepburn H.R. (2000) Population structure and morphometric variance in the *Apis mellifera scutellata* group of honeybees in Africa, *Genet. Mol. Biol.* 23, 305-316.
- Raffiudin R., Crozier R.H. (2001) Phylogenetic analyses of *Apis* based on inositol 1,4,5-trisphosphate receptor gene sequences, 7<sup>th</sup> Int. Conf. Trop Bees, Chiang Mai, Thailand, pp. 353-357.
- Rahman K.A., Singh S. (1946) Size of the cell of the brood comb of the Indian honey bees, *Indian Bee J.* 8(11/12), 154-159.
- Rahman K.A., Singh S. (1950) Variation in the tongue length of the honeybee, *Indian J. Entomol.* 10(1), 63-73.
- Ramanujam C.G.K., Kalpana T.P. (1992) *Tamarindus indica* L.: an important forage plant for *Apis florea* F. in south central India, *Apidologie* 23(5), 403-413.
- Rao P.V. (1998) *Statistical Research Methods in Life Sciences*, Brooks/Cole Publishing Company, Pacific Grove, CA.
- Ratnam R. (1939) A preliminary study in the biometric variations in the Indian honeybees, *Madras Agric. J.* 27, 432-439.
- Reddi C.S., Reddi E.U.B., Reddi N.S., Reddi P.S. (1983) Reproductive ecology of *Sapindus emarginatus* Vahl (Sapindaceae), *Proc. Indian Natl. Sci. Acad.* B49(1), 57-72.
- Rinderer T.E., Oldroyd B.P., Wongsiri S., Sylvester H.A., De Guzman L.I., Potichot S., Sheppard W.S., Buchmann S.L. (1993) Time of drone flight in four honey bee species in south-eastern Thailand, *J. Apic. Res.* 32, 27-33.

- Rinderer T.E., Oldroyd B.P., Wongsiri S., Sylvester H.A., De Guzman L.I., Stelzer J.A., Riggio R.M. (1995) A morphological comparison of the dwarf honey bees of southeastern Thailand and Palawan, Philippines, *Apidologie* 26, 387-394.
- Rinderer T.E., Wongsiri S., Kuang B.Y., Liu J.S., Oldroyd B.P., Sylvester H.A., De Guzman L.I. (1996) Comparative nest architecture of the dwarf honey bees, *J. Apic. Res.* 35(1), 19-26.
- Ruttner F. (1975) A metatarsal clasping structure in the *Apis* drone, *Entomol. Germ.* 2(1), 22-29.
- Ruttner F. (1988) *Biogeography and Taxonomy of Honeybees*, Springer-Verlag, Berlin, Germany, pp. 1-284.
- Ruttner F. (1992) *Naturgeschichte der Honigbienen*, Ehrenwirth, Munchen, Germany.
- Ruttner F., Pourasghar D., Kauhausen D. (1985) Honeybees of Iran. 1. *Apis florea* Fabricius, *Apidologie* 16, 119-137. (in German).
- Ruttner F., Mossadegh M.S., Kauhausen-Keller D. (1995) Distribution and variation of size of *Apis florea* F. in Iran, *Apidologie* 26, 477-486.
- Saini M.S., Aggarwal R., Dhillon S.S. (1983) Functional morphology of the wing coupling apparatus and its bearing on the taxonomy of genus *Apis* Linnaeus, *Uttar Pradesh J. Zool.* 3, 10-14.
- Sakagami S.F. (1960) Preliminary report on the specific difference of behaviour and other ecological characters between European and Japanese honeybees, *Acta Hymenopt.* 1, 171-198.
- Sandhu A.S., Singh S. (1960) The biology and brood rearing activities of the little honeybee (*Apis florea* Fabricius), *Indian Bee J.* 22(4/6), 27-35.
- Sen Sarma M., Fuchs S., Tautz J. (2000) Debris removal by head-pushing in *A. florea* Fabr. Honeybees, *Naturwissenschaften* 87, 241-243.

- Sharma P.C. (1983) Morphometric studies on *Apis florea* F. and *Apis dorsata* F. of Himachal Pradesh and Punjab, Thesis, Himachal Pradesh University, India, pp. 1-83.
- Sheikh M.S., Chetry G. (2000) Distribution of honey bees in Assam, Environ. Ecol. 18, 236-240.
- Sheppard W.S., Berlocher S.H. (1989) Allozyme variation and differentiation among four *Apis* species, Apidologie 20, 419-431.
- Shrestha K.K. (1996) Country Report: Nepal, Proc. 3<sup>rd</sup> Asian Apic. Assoc., Ha Noi, Vietnam, p. 216.
- Sihag R.C., Abrol D.P. (1986) Correlation and path-coefficient analysis of environmental factors influencing flight activity of *Apis florea* F., J. Apic. Res. 25, 202-208.
- Singh T., Singh B.A. (1981) Comparative study on the mandibular gland of workers of three species of *Apis* (Hymenoptera: Apidae), J. Entomol. Res. 5, 31-35.
- Singh R., Pal H., Gupta M., Malik O.P. (1995) Screening of some carbonyl compounds as repellents to honey bees. II. Effect of carbonyl compounds on *Apis florea* F. visitor to *Ziziphus mauritiana* var. *dichotoma*, Korean J. Apic. 10, 131-134.
- Sinha S.N., Chakrabarti A.K. (1983) Bee pollination and its impact on cauliflower seed production, Proc. 2<sup>nd</sup> Int. Conf. Apic. Trop. Climates, New Delhi, India, pp. 649-655.
- Skorikov A.S. (1929) A new basis for the revision of the genus *Apis*, Rpts. Appl. Entomol. Leningrad IV(1), 249-270. (in Russian).
- Smith D.R. (1990) Mitochondrial DNA and biogeography of *Apis* species, Proc. 11<sup>th</sup> Congr. IUSSI, India. pp. 113-114.
- Smith D.R. (1991) Mitochondrial DNA and Honey Bee Biogeography, in: Smith D.R. (Ed.), Diversity in the Genus *Apis*, Westview Press, Boulder, Co., pp. 131-176.
- Smith F. (1858) Catalogue of the hymenopterous insects collected at Sarawak, Borneo, Proc. Linn. Soc. Lond. 2, 42-130.

- Soman A.G. (1990) A note on *Apis florea* storing honey in drone cells, Bee World. 71, 33-34.
- Soman A.G., Chawda S.S. (1996) A contribution to the biology and behaviour of the dwarf bee, *Apis florea* F. and its economic importance in Kutch, Gujarat, India, Indian Bee J. 58, 81-88.
- Stitz J., Szebe P. (1933) The evolution of the races of bees and their geographical distribution, Bee World. 14, 128-130.
- Surdacki S. (1973) The geographical range and distribution of the genus *Apis* L. bees, Ann. Univ. Mariae Curie-Sklodowska B28, 315-330.
- Tahmasebi G., Ebadi R., Esmaili M., Kambosia J. (1998) Morphological study of (*Apis mellifera* L.) in Iran, J. Agric. Sci. Nat. Res. 2, 89-101.
- Takahashi J., Hepburn H.R., Nakamura J., Deowanish S., Tingek S., Sasaki M. (2004) Mitochondrial DNA variation of dwarf honeybees *Apis florea* and *A. andreniformis*. (submitted)
- Thakar C.V., Tonapi K.V. (1962) Nesting behaviour of Indian honeybees II. Nesting habits and comb cell differentiation in *Apis florea* Fab., Indian Bee J. 24(1/3), 27-31.
- Thapa R., Shrestha R., Manandhar H., Bista S., Kafle B. (2001) Beekeeping in Nepal, Proc. 7<sup>th</sup> Int. Conf. Trop Bees, Chiang Mai, Thailand, pp. 409-413.
- Tirgari S. (1971) On the biology and manipulation of *Apis (Micrapis) florea* F. in Iran, Proc. 23<sup>rd</sup> Int. Beekeep. Congr., pp. 330-332.
- Tirgari S., Polous H., Foroughi H., Fakhari F., Nabavit M.A. (1969) On the occurrence and biology of little bee (*Micrapis florea* F.) and the first account on its migration (Hymenoptera, Apidae), 2<sup>nd</sup> Natl. Congr. Entomol. Pest Control and Pest Control (in Persian), (cited from Tirgari, 1971).

- Trung L.Q., Dung P.X., Ngan T.X. (1996) A discovery of *Apis laboriosa* F. Smith (Hymenoptera, Apidae) in northwestern Vietnam, Proc. 3rd Asian Apic. Assoc. Conf., Hanoi, pp. 7-14.
- Verma L.R. (1992) Apiculture in Bhutan: Problems and prospects, in: Verma L.R. (Ed.) Honeybees in Mountain Agriculture, Oxford and IBH Publishing Co. Pty. Ltd., New Delhi, India, pp. 163-179.
- Verma L.R., Kafle G.P., Sharma A., Mattu V.K. (1989) Biometry of *Apis cerana* of Nepal Himalayas, in: Proc. 4<sup>th</sup> Int. Conf. Apic. Trop. Climates, pp. 458-465.
- Verma L.R., Mattu V.K., Daly H.V. (1994) Multivariate morphometrics of the Indian honeybee in the northwest Himalayan region, *Apidologie* 25, 203-223.
- von Buttel-Reepen H. (1906) Contributions to the systematics, biology as well as the historical and geographical distribution of honeybees (*Apis mellifica* L.) their variability and other *Apis* species, *Mitt. Zool. Museum Berlin* 3(2), 117-201. (in German).
- von Buttel-Reepen H. (1921) Contribution on the systematics, biology as well as the historical and geographical distribution of honeybees, *Arch. Bienenkd.* 3, 19-67. (in German).
- Wang Z.P. (1989) Report on the chromosomes of *Apis dorsata* Fabricius and *Apis florea* Fabricius, *Apic. Sci. Tech.* (in Chinese).
- Warncke K. (1979) Contributions to the bee fauna of Iran. 4. The genus *Apis*, *Boll. Museo Civico Storia Naturale Venezia* 30, 157-158. (in German).
- Whitcombe R. (1980) Honeybees in the Sultanate of Oman, Oman, Directorate of Agriculture, Oman, pp. 1-20. (in Arabic).
- Whitcombe R.P. (1984) The biology of *Apis* spp. in Oman with special reference to *Apis florea* Fab., Thesis, University of Durham, United Kingdom, pp. 1-621.

- Wongsiri S., Limbipichai K., Tangkanasing P., Mardan M., Rinderer T., Sylvester H.A., Koeniger G., Otis G.W. (1990) Evidence of reproductive isolation confirms that *Apis andreniformis* (Smith, 1858) is a separate species from sympatric *Apis florea* (Fabricius, 1787), *Apidologie* 21(1), 47-52.
- Wongsiri S., Lekprayoon C., Thapa R., Thirakhupt K., Rinderer T.E., Sylvester H.A., Oldroyd B.P., Booncham U. (1996) Comparative biology of *Apis andreniformis* and *Apis florea* in Thailand, *Bee World*. 77, 23-35.
- Woyke J. (1976) Brood-rearing efficiency and absconding in Indian honeybees, *J. Apic. Res.* 15(3/4), 133-143.
- Woyke J. (2000) Differences in body colour expression between European and Asian honeybees, *Proc. 4<sup>th</sup> Asian Apic. Assoc. Conf.*, Kathmandu, pp. 20-23.
- Woyke J., Wongsiri S. (1992) Occurrence and size of laying worker eggs in *Apis florea* colonies, *J. Apic. Res.* 31(3/4), 124-127.
- Wu Y.R., Kuang B. (1986) A study of the genus *Micrapis* (Apidae), *Zool. Res.* 7(2), 99-102. (in Chinese).
- Wu Y.R., Kuang B. (1987) Two species of small honeybee - a study of the genus *Micrapis*, *Bee World*. 68(3), 153-155.
- Yoshida T. (1999) Bees and beekeeping in Asia, *Farming Japan* 33(3), 10-17.