

Online Material

REFERENCES

- Aichholz R., Lorbeer E. (1999) Investigation of combwax of honeybees with high-temperature gas chromatography and high-temperature gas chromatography-chemical ionization mass spectrometry. I. High-temperature gas chromatography, *J. Chromatogr. A* 855, 601–615. Keywords: *andreniformis*; *cerana*; *dorsata*; *florea*; *laboriosa*; *mellifera*; wax.
- Alexander B.A. (1990) A phylogenetic analysis of honey bees (Hymenoptera: Apidae: *Apis*), Proc. 11th Int. Congr., IUSSI, Bangalore, pp. 120–121. Keywords: *andreniformis*; *cerana*; dance language; *dorsata*; *florea*; honey; *koschnevikovi*; *laboriosa*; *mellifera*; phylogeny.
- Alexander B.A. (1991) A cladistic analysis of the genus *Apis*, in: Smith D.R. (Ed.), Diversity in the genus *Apis*, Westview Press, Boulder, Colorado, pp. 29–49. Keywords: *andreniformis*; *cerana*; *dorsata*; *florea*; *koschnevikovi*; *laboriosa*; *mellifera*; classification.
- Alexander B.A. (1991) Phylogenetic analysis of the genus *Apis* (Hymenoptera: Apidae), *Ann. Entomol. Soc. Am.* 84, 137–149. Keywords: *andreniformis*; *cerana*; *dorsata*; *florea*; *koschnevikovi*; *laboriosa*; *mellifera*; classification.
- Arias M.C., Sheppard W.S. (2005) Phylogenetic relationships of honey bees (Hymenoptera: Apinae: Apini) inferred from nuclear and mitochondrial DNA sequence data, *Mol. Phylogenet. Evol.* 37, 25–35. Keywords: *andreniformis*; *cerana*; dance language; *dorsata*; *florea*; honey; *koschnevikovi*; *laboriosa*; *mellifera*; phylogeny.
- Ashmead W.H. (1904) Remarks on honeybees, *Proc. Entomol. Soc. Wash.* 6, 120–123. Keywords: *andreniformis*; classification.
- Baer B. (2005) Sexual selection in *Apis* bees, *Apidologie* 36, 187–200. Keywords: *andreniformis*; *cerana*; *dorsata*; *florea*; *koschnevikovi*; *laboriosa*; *nigrocincta*; *nuluensis*; reproduction; selection.
- Barron A.B., Oldroyd B.P., Ratnieks F.L. (2001) Worker reproduction in honey bees (*Apis*) and the anarchic syndrome: a review, *Behav. Ecol. Sociobiol.* 50, 199–208. Keywords: *andreniformis*; *cerana*; *dorsata*; *florea*; *koschnevikovi*; *laboriosa*; *nigrocincta*; *nuluensis*; reproduction; selection.
- Booncham U., Wongsiri S., Thirakhupt K. (1995) Niche differences between *A. florea* and *A. andreniformis* in dry-evergreen forest, Thailand, *Int. Conf. Trop. Bees Environ., Pedu Lake, Kedah, Malaysia*, p. 33. Keywords: *andreniformis*; ecology; *florea*; Thailand.
- Boot W.J., Calis J.N.M. (1996) Reproductive strategies of mites parasitizing honeybee brood, *Proc. 3rd Asian Apic. Assoc. Int. Conf.*, Hanoi, Vietnam, pp. 164–167. Keywords: *andreniformis*; brood; *cerana*; *dorsata*; *florea*; *mellifera*; mites.
- Breed M.D., Guzman-Novoa E., Hunt G.J. (2004) Defensive behavior of honey bees: organization, genetics and comparisons with other bees, *Annu. Rev. Entomol.* 49, 271–298. Keywords: *andreniformis*; *cerana*; defense; *dorsata*; *florea*; *mellifera*; *nuluensis*.
- Breed M.D. (2006) Nestmate recognition, wax, and the evolution of social communication in honey bees, *Proc. 15th Int. Congr., IUSSI, Washington*, pp. 26. Keywords: *andreniformis*; *cerana*; *dorsata*; ecology; *mellifera*; wax.
- Breed M.D., Deng X.B., Buchwald R. (2007) Comparative nest mate recognition in Asian honey bees, *Apis florea*, *Apis andreniformis*, *Apis dorsata* and *Apis cerana*, *Apidologie* 38, 411–418. Keywords: *andreniformis*; *cerana*; combs; *dorsata*; *florea*; wax.
- Buchwald R., Breed M.D., Greenburg A.R., Otis G.W. (2006) Interspecific variation in beeswax as a biological construction material, *J. Exp. Biol.* 209, 3984–3989. Keywords: *andreniformis*; *cerana*; *dorsata*; ecology; honey; *mellifera*; wax.
- Cardinal S., Packer L. (2007) Phylogenetic analysis of the corbiculate Apinae based on morphology of the sting apparatus, *Cladistics* 23, 99–118. Keywords: morphology.
- Cervancia C.R. (1996) Beekeeping in the Philippines, *Proc. 3rd Asian Apic. Assoc. Int. Conf.*, Hanoi, Vietnam, pp. 220–224. Keywords: *andreniformis*; beekeeping; *cerana*; disease; *dorsata*; *mellifera*; pests; Philippines.
- Chen Y. (1993) Apiculture in China, Beijing: Agricultural Science Publishing House of China. Keywords: *andreniformis*; bee botany; *cerana*; China; distribution; *dorsata*; *florea*; *laboriosa*; *mellifera*; morphometrics.
- Connor L.J., Rinderer T.E., Sylvester H.A., Wongsiri S. (2001) Asian apiculture, Wicwas Press, Cheshire, Connecticut. Keywords: *andreniformis*; biology; *cerana*; *dorsata*; *florea*; honey; *laboriosa*; mites.
- Crane E. (1999) The world history of beekeeping and honey hunting, Duckworth, London. Keywords: *andreniformis*; biology; distribution.
- Crozier R.H., Fjerdingstad E.J. (2001) Polyandry in social Hymenoptera - disunity in diversity? *Ann. Zool. Fenn.* 38, 267–285. Keywords: *andreniformis*; *cerana*; diversity; *florea*; polyandry.
- de Guzman L.I., Forbes M., Cervancia C.R., Rinderer T.E., Somera S. (1992) *Apis andreniformis* Smith in Palawan, Philippines, *J. Apic. Res.* 31, 111. Keywords: *andreniformis*; *florea*; morphology; Philippines.
- Delfinado-Baker M., Baker E.W. (1974) Varroidae, a new family of mites on honey bees (Mesostigmata: Acarina), (1974) *J. Wash.*

- Acad. Sci. 64, 4–10. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*a; *laboriosa*; *mellifera*; mites.
- Delfinado-Baker M., Baker E.W., Phoon A.C.G. (1989) Mites (Acari) associated with bees (Apidae) in Asia, with description of a new species, *Am. Bee J.* 129, 609–613. Keywords: *andreniformis*; Asia; *cerana*; *flore*a; *koschnevikovi*; mites; taxonomy.
- Delfinado-Baker M. (1990) Associations of mites (Acari) with bees (Apidae), Proc. 11th Int. Congr., IUSSI, Bangalore, India, pp. 455–456. Keywords: *andreniformis*; *dorsata*; *cerana*; *flore*a; *laboriosa*; *mellifera*; mites.
- Deowanish S., Wattanaachaiyingchaeron W., Wongsiri S., Oldroyd B.P., Leepitakrat S., Rinderer T.E., Sylvester H.A. (2001) Biodiversity of dwarf honey bees in Thailand, Proc. 7th Int. Conf. Trop. Bees, Chiang Mai, Thailand, pp. 97–103. Keywords: *andreniformis*; bee botany; biology; brood; combs; *dorsata*; *flore*a; foraging; honey; pollen; Thailand.
- Dung P.X., Trung L.Q., Hap D., Matsuka M. (1996) Initial results of program on conservation for sustainable using honeybee resources in Vietnam (sic), Proc. 3rd Asian Apic. Assoc. Int. Conf., Hanoi, Vietnam, p. 147. Keywords: *andreniformis*; *cerana*; conservation; *dorsata*; *flore*a; *laboriosa*; Vietnam.
- Dung P.X., Thai P.H., Trung L.Q. (1996) Some comparative characteristics between *Apis flore*a and *Apis andreniformis* in Minh Hai Province, Proc. 3rd Asian Apic. Assoc. Conf., Hanoi, Vietnam, p. 62. Keywords: *andreniformis*; combs; *flore*a; mating; morphometrics; Vietnam.
- Eltz T. (2004) Spatio-temporal variation of apine bee attraction to honeybaits in Bornean forests, *J. Trop. Ecol.* 20, 317–324. Keywords: *andreniformis*; Borneo; *cerana*; *dorsata*; ecology; *koschnevikovi*; Malaysia.
- Engel M.S. (1999) The taxonomy of recent and fossil honey bees (Hymenoptera: Apidae; *Apis*), *J. Hymenoptera Res.* 8, 165–196. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*a; *koschnevikovi*; *mellifera*; *nigrocincta*; taxonomy.
- Engel M.S. (2001) The honey bees of Thailand (Hymenoptera: Apidae), *Nat. Hist. Bull. Siam Soc.* 49, 113–116. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*a; history; *mellifera*; Thailand.
- Engel M.S., Schultz T.R. (1997) Phylogeny and behavior in honeybees (Hymenoptera: Apidae) *Ann. Entomol. Soc. Am.* 90, 43–53. Keywords: *andreniformis*; behaviour; phylogeny.
- Hepburn H.R., Radloff S.E. (2004) The wing coupling apparatus and the morphometric analysis of honeybee populations, *S. Afr. J. Sci.* 100, 565–570. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*a; *mellifera*; populations.
- Huson D.H. (2005) SplitsTree: A program for analyzing and visualizing evolutionary data, *Bioinformatics* 141, 68–73. Keywords: *andreniformis*; *cerana*; *dorsata*; evolution; *flore*a; *koschnevikovi*.
- Hyodo F., Tayasu I., Wada E. (2006) Estimation of the longevity of C in terrestrial detrital food webs using radiocarbon, *Funct. Ecol.* 20, 385–393. Keywords: *andreniformis*; *flore*a; physiology.
- Inoue T., Adri, Salmah S. (1990) Nest site selection and reproductive ecology of the Asian honey bee, *Apis cerana indica*, in Central Sumatra, in: Sakagami S.F., Ohgushi R., Roubik D.W. (Eds.), *Natural history of social wasps and bees in equatorial Sumatra*, Hokkaido University Press, Sapporo, pp. 219–232. Keywords: *andreniformis*; *cerana*; *dorsata*, ecology; *mellifera*; nesting; population density; Sumatra; swarming.
- Jayavasti S., Wongsiri S. (1992) Scanning electron microscopy analysis of honey bees (*Apis flore*a, *Apis dorsata*, *Apis cerana*, *Apis mellifera*, *Apis andreniformis* and *Apis koschnevikovi*) stings, *Recent Adv. Toxic. Res.* 2, 193–204. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*a; honey; *koschnevikovi*; *mellifera*; morphology.
- Jayavasti S., Wongsiri S. (1993) Stings of honey bees in Asia, *Honeybee Sci.* 14, 105–109 (in Japanese). Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*a; *koschnevikovi*; *mellifera*; morphology.
- Koeniger G., Koeniger N., Mardan M.B., Punchihewa R.W.K., Otis G.W. (1990) Numbers of spermatozoa in queens and drones indicate multiple mating of queens in *Apis andreniformis* and *Apis dorsata*, *Apidologie* 21, 281–286. Keywords: *andreniformis*; *dorsata*; drones; Malaysia; mating; queens; spermatozoa; Sri Lanka.
- Koeniger G., Koeniger N., Mardan M.B., Otis G.W., Wongsiri S. (1991) Comparative anatomy of male genital organs in the genus *Apis*, *Apidologie* 22, 539–552. Keywords: *andreniformis*; *cerana*; *flore*a; genitalia; *koschnevikovi*; Malaysia; *mellifera*; Thailand.
- Koeniger G., Koeniger N., Tingek S. (1996) A scientific note on weight and sperm numbers of drones of *Apis nuluensis* Tingek, Koeniger and Koeniger, 1996, *Apidologie* 27, 427–428. Keywords: *andreniformis*; *cerana*; drones; *koschnevikovi*; *mellifera*; Malaysia; *nuluensis*.
- Koeniger G., Koeniger N., Tingek S., Kelitu A. (2000) Mating flights and sperm transfer in the dwarf honeybee *Apis andreniformis* (Smith, 1858), *Apidologie* 31, 301–311. Keywords: *andreniformis*; flight; mating; queens; spermatozoa.
- Koeniger G., Koeniger N., Tingek S. (2001) Diversity of the mating sign and its function in the genus *Apis*, Proc. 7th Int. Conf. Trop. Bees, Chiang Mai, Thailand, pp. 87–90. Keywords: *andreniformis*; *cerana*; *dorsata*; drones; *flore*a; genitalia; *koschnevikovi*; Malaysia; mating; *mellifera*.

- Koeniger N. (1990) Coevolution of honey bees and their parasitic mites, Proc. 11th Int. Congr. IUSSI, Bangalore, India, pp. 130–131. Keywords: mites; *andreniformis*; *dorsata*; *flore*a; *koschnevikovi*; *laboriosa*; *mellifera*.
- Koeniger N., Koeniger G. (1991) An evolutionary approach to mating behaviour and drone copulatory organs in *Apis*, *Apidologie* 22, 581–590. Keywords: *andreniformis*; behaviour; *cerana*; drones; *flore*a; genitalia; mating; *mellifera*.
- Koeniger N., Koeniger G. (1991) An evolutionary approach to mating behaviour and drone copulatory organs in *Apis*, *Apidologie* 22, 581–590. Keywords: *andreniformis*; reproduction.
- Koeniger N., Koeniger G. (2000) Reproductive isolation among species of the genus *Apis*, *Apidologie* 31, 313–339. Keywords: *andreniformis*; Borneo; *dorsata*; *flore*a; Malaysia; mating; reproductive isolation; Sri Lanka; Thailand.
- Koeniger G., Koeniger N., Tingek S., Kelitu A. (2000) Mating flights and sperm transfer in the dwarf honeybee, *Apis andreniformis* (Smith, 1858), *Apidologie* 31, 301–311. Keywords: *andreniformis*; reproduction.
- Koeniger N., Koeniger G. (2001) Behavioural mating barriers among sympatric species of the genus *Apis*, Proc. 7th Int. Conf. Trop. Bees, Chiang Mai, Thailand, pp. 79–85. Keywords: *andreniformis*; Borneo; *cerana*; drone congregation area; *dorsata*; drone flight; *flore*a; *koschnevikovi*; mating; *mellifera*; Pakistan; reproduction; Sri Lanka; Thailand.
- Koeniger N., Koeniger G., Mardan M.B., Punchedewa R.W.K., Otis G.W. (2003) Numbers of spermatozoa in queens and drones indicate multiple mating of queens in *Apis andreniformis* and *Apis dorsata*, *Apidologie* 21, 282–286. Keywords: *andreniformis*; *dorsata*; drones; mating; polyandry; queens; spermatozoa.
- Kraus F.B., Neumann P., van Praagh J., Moritz R.F.A. (2004) Sperm limitation and the evolution of extreme polyandry in honeybees (*Apis mellifera* L.), *Behav. Ecol. Sociobiol.* 53, 494–501. Keywords: *andreniformis*; *Apis*; evolution; *flore*a; *mellifera*; polyandry.
- Kuang B. Li Y. (1984) Studies on *Apis andreniformis*, *China Beekeep.* 4, 3–4 (in Chinese). Keywords: *andreniformis*; beekeeping; biology; China.
- Kuang B.Y., Li Y.O. (1988) Studies on *Apis*, *Sci. Agric. Sin.* 21, 85–90 (in Chinese). Keywords: *andreniformis*; *cerana*; China; *dorsata*; ecology; *flore*a; geography; isozymes; *laboriosa*.
- Kuang B.Y., Tan K. (1996) Honeybee genetic diversity and its value to mountain farming, Proc. 3rd Asian Apic. Assoc. Conf. Hanoi, Vietnam, pp. 23–33. Keywords: *andreniformis*; beekeeping; *cerana*; China; *dorsata*; *flore*a; genetic diversity; *laboriosa*; *mellifera*; pollination.
- Lampe D.J., Witherspoon D.J., Soto-Adames F.N., Robertson H.M. (2003) Recent horizontal transfer of *mellifera* subfamily *Mariner* transposons into insect lineages representing four different orders shows that selection acts only during horizontal transfer. *Mol. Biol. Evol.* 20, 554–562. Keywords: *andreniformis*; genetics; *mellifera*; selection.
- Lekprayoon C., Tangkanasing P. (1991) *Euvarroa wongsirii* a new species of bee mite from Thailand, *Int. J. Acarol.* 17, 255–258. Keywords: *andreniformis*; distribution; *flore*a; mites; Thailand.
- Lekprayoon C., Tangkanasing P. (1993) Comparative morphology of *Euvarroa sinhai* and *E. wongsirii*: Parasites of *Apis florea* and *A. andreniformis*, in: Sylvester H.A., Wongsiri S. (Eds.), *Asian apiculture*, Wicwas Press, Cheshire, Connecticut, pp. 427–433. Keywords: *andreniformis*; *flore*a; mites; morphology; natural enemies; parasites; Thailand.
- Lekprayoon C., Wongsiri S., Jayavasti S., Leepitakrat S. (1994) Survival of the parasitic honeybee mites *Tropilaelaps clareae* on adult *Apis florea* and *Apis andreniformis* workers, Proc. 9th Congr. Acarol. Ohio, USA. Keywords: *andreniformis*; *flore*a; mites; Thailand.
- Li Y.Q. (1984). Discussions on the taxonomy of six species of *Apis*, *J. Bee* 4, 19–21 (in Chinese). Keywords: *andreniformis*; *cerana*; China; classification; *dorsata*; *flore*a; *laboriosa*; *mellifera*; taxonomy.
- Li S.W., Meng Y.P., Chang J.T., Li J.H., He S.Y., Kuang B.Y. (1986) A comparative study of esterase isozymes in 6 species of *Apis* and 9 genera of Apoidea, *J. Apic. Res.* 25, 129–133. Keywords: *andreniformis*; *cerana*; China; *dorsata*; *flore*a; isozymes; *laboriosa*; *mellifera*.
- Li S.W., Meng Y.P., Chang J.T., Li J.H. (1986) Comparative study of esterase isozymes of 6 species of *Apis*, *Acta Sci. Nat. Univ. Pekinensis (Nat. Sci.)* 4, 53–56. Keywords: *andreniformis*; *cerana*; China; *dorsata*; *flore*a; isozymes; *laboriosa*; *mellifera*.
- Li S.W., Meng Y.P., Chang J.T., Li J.H. (1987) A comparative study of esterase isozymes in Hymenoptera, *Acta Entomol. Sin.* 30, 266–270 (in Chinese). Keywords: *andreniformis*; *cerana*; China; *dorsata*; *flore*a; isozymes; *laboriosa*; *mellifera*.
- Li J., Li X., Wang A. (2004) Honey bee species in China, *Am. Bee J.* 144, 49–54. Keywords: *andreniformis*; *cerana*; China; *dorsata*; *flore*a; *laboriosa*; *mellifera*.
- Limbipichai K., Tangkanasing P., Mardan M.B., Rinderer T.E. (1990) Evidence of reproductive isolation confirms *Apis andreniformis* (Smith, 1858) is a separate species from sympatric *Apis florea* (Fabricius, 1787), *Apidologie* 21, 47–52. Keywords: *andreniformis*; *flore*a; reproductive isolation.

- Maa T.C. (1953) An enquiry into the systematics of the tribus Apidini or honey bees (Hymenoptera), *Treubia* 21, 525–640. Keywords: *andreniformis*; *cerana*; *dorsata*; *floreana*; *koschnevikovi*; *mellifera*; morphometrics; taxonomy.
- Makarenkov V., Legendre P., Desdevises Y. (2003) Modelling phylogenetic relationships using reticulated networks, *Zool. Scripta* 33, 89–96. Keywords: *andreniformis*; *cerana*; *koschnevikovi*; *mellifera*; phylogeny.
- Martin S.J. (2001) Biology and life history of *Varroa* mites, in: Webster T.C., Delaplane K.S. (Eds.), *Mites of the honey bee*, Dadant, Hamilton pp. 131–148. Keywords: *andreniformis*; Asia; biology; *cerana*; *dorsata*; *floreana*; history; *koschnevikovi*; *laboriosa*; mites; reproductive isolation.
- Martin S.J., Jones G.R. (2004) Conservation of biosynthetic pheromone pathways in honeybees *Apis*, *Naturwissenschaften* 91, 232–236. Keywords: *andreniformis*; *cerana*; ecology; *floreana*.
- Martin S.J., Takahashi J.I., Drijfhout F.P. (2007) Setosa membrane structure and occurrence of eicosenol in honeybees (*Apis* sp.), *Apidologie* 38, 104–109. Keywords: *andreniformis*; *floreana*; *mellifera*.
- Matsuyama S. (2006) Chemical ecology of honey bees in Asia, Proc. 11th Int. Congr. IUSSI, Washington, USA, p. 278. Keywords: *andreniformis*; *cerana*; *dorsata*; ecology; *laboriosa*; *mellifera*; Thailand.
- Morin C.E., Otis G.W. (1993) Observations on the morphology and biology of *Euvarroa wongsirii* (Mesostigmata: Varroidae), a parasite of *Apis andreniformis* (Hymenoptera: Apidae), *Int. J. Acarol.* 19, 167–172. Keywords: *andreniformis*; biology; *floreana*; India; mites; Sri Lanka; Thailand.
- Needham G.R., Gerson U., Sammartaro D. (2001) Mite biology, in: Webster T.C., Delaplane K.S. (Eds.), *Mites of the honeybee*, Dadant, Hamilton, pp. 1–16. Keywords: *andreniformis*; biology; *cerana*; *dorsata*; *floreana*; *koschnevikovi*; *laboriosa*; mites; *nigrocincta*; *nuluensis*.
- Oldroyd B.P., Rinderer T.E., Wongsiri S. (1992) Pollen resource partitioning by *Apis dorsata*, *A. cerana*, *A. andreniformis* and *A. florea* in Thailand, *J. Apic. Res.* 31, 3–7. Keywords: *andreniformis*; bee botany; *cerana*; distribution; *dorsata*; *floreana*; foraging; pollen; Thailand.
- Oldroyd B.P., Clifton M.J., Wongsiri S., Rinderer T.E., Sylvester H.A., Crozier R.H. (1997) Polyandry in the genus *Apis*, particularly *Apis andreniformis*, *Behav. Ecol. Sociobiol.* 40, 17–26. Keywords: *andreniformis*; behaviour; *cerana*; *dorsata*; *floreana*; mating; *mellifera*; polyandry.
- Oldroyd B.P., Wongsiri S. (2006) Asian honey bees. Harvard University Press, Cambridge. Keywords: biology.
- Otis G.W. (1989) Malaysian bees and beekeeping. Part 3: What species is best for Asian beekeeping? *Can. Beekeep.* 14, 204–205, 224–226 and 15, 8–10, 36–37. Keywords: *andreniformis*; beekeeping.
- Otis G.W. (1989) Malaysian bees and beekeeping. Part 4: *Apis andreniformis*, the world's smallest honey bee, *Can. Beekeep.* 15, 36–37. Keywords: *andreniformis*; beekeeping; Malaysia.
- Otis G.W. (1990) Diversity of *Apis* in Southeast Asia, Proc. 11th Int. Congr. IUSSI, Bangalore, India, pp. 104–105. Keywords: *andreniformis*; Asia; *cerana*; diversity; *dorsata*; *floreana*.
- Otis G.W. (1991) A review of the diversity of species within *Apis*, in: Smith D.R. (Ed.), *Diversity in the genus Apis*, Westview Press, Boulder, Colorado, pp. 29–49. Keywords: *andreniformis*; Asia; *cerana*; diversity; *dorsata*; *floreana*; *koschnevikovi*; *laboriosa*; *mellifera*.
- Otis G.W. (1994) Revised distribution of three recently recognized species of honey bees in Asia (in Japanese), *Honeybee Sci.* 15, 167–170. Keywords: *andreniformis*; Asia; distribution; *floreana*; honey; *koschnevikovi*; *laboriosa*.
- Otis G.W. (1997) Distributions of recently recognized species of honey bees (Hymenoptera: Apidae; *Apis*) in Asia, *J. Kans. Entomol. Soc.* 69, 311–333. Keywords: *andreniformis*; Asia; *cerana*; distribution; *dorsata*; *floreana*; honey; *koschnevikovi*; *laboriosa*; . *Int. nigrocincta*.
- Otis G.W., Koeniger N., Rinderer T.E., Hadisoelilo S., Yoshida T., Tingek S., Wongsiri S., Mardan M.B. (2001) Comparative mating flight times of Asian honey bees, Proc. 7th Int. Conf. Trop. Bees, Chiang Mai, Thailand, pp. 137–141. Keywords: *andreniformis*; Borneo; *cerana*; *floreana*; Indonesia; Japan; *koschnevikovi*; Malaysia; mating; *nigrocincta*; *nuluensis*; Sri Lanka; Thailand.
- Otis G.W., Kralj J. (2001) Parasitic brood mites not present in North America, in: Webster T.C., Delaplane K.S. (Eds.), *Mites of the honey bee*, Dadant, Hamilton pp. 251–272. Keywords: *andreniformis*; Asia; brood; *cerana*; *dorsata*; *floreana*; *koschnevikovi*; *laboriosa*; mites; *nigrocincta*; *nuluensis*.
- Palmer K., Oldroyd B.P. (2001) Mating frequency in *Apis florea* revisited (Hymenoptera, Apidae), *Insectes Soc.* 48, 40–43. Keywords: *andreniformis*; *floreana*; mating; polyandry; Thailand.
- Patinawin S., Wongsiri S. (1993) Male genitalia of honey bees, in: Connor L.J., Rinderer T.E., Sylvester H.A., Wongsiri S. (Eds.), *Asian apiculture*, Wicwas Press, Cheshire, Connecticut, pp. 110–116. Keywords: *andreniformis*; *cerana*; *dorsata*; drones; *floreana*; genitalia; *mellifera*.
- Patinawin S., Wongsiri S. (1994) Scanning electron microscopy of cervical lobes of *Apis* drones, *J. Apic. Res.* 33, 65–68. Keywords: *andreniformis*; *cerana*; *dorsata*; drones; evolution; *floreana*; genitalia; *mellifera*.
- Phiancharoen M., Wongsiri S., Koeniger N., Koeniger G. (2004) Instrumental insemination of *Apis*

- mellifera* queens with hetero- and conspecific spermatozoa results in different sperm survival, *Apidologie* 35, 503–511. Keywords: *andreniformis*; *Apis*; *mellifera*; queens; reproduction; spermatozoa.
- Plettner E., Otis G.W., Wimalaratne P.D.C., Winston M.L., Slessor K.N., Pankiw T., Punchedhewa R.W.K. (1997) Species and caste determined mandibular gland signals in honeybees (*Apis*), *J. Chem. Ecol.* 23, 363–377. Keywords: *andreniformis*; *cerana*; *dorsata*; glands; *mellifera*; pheromones; queens; retinue; workers.
- Radloff S.E., Hepburn H.R., Otis G.W. (2001) Flight machinery of honey bees (Hymenoptera: Apidae, *Apis*), *Proc. 7th Int. Conf. Trop. Bees*, Chiang Mai, Thailand, pp. 157–168. Keywords: *andreniformis*; *cerana*; *dorsata*; flight; *flore*; *koschnevikovi*; *mellifera*; *nigrocincta*.
- Radloff S.E., Hepburn H.R., Koeniger G. (2003) Comparison of flight design of Asian honeybee drones, *Apidologie* 34, 353–358. Keywords: *andreniformis*; *cerana*; *dorsata*; drones; flight; *flore*; *koschnevikovi*; *nigrocincta*; *nuluensis*.
- Raffiudin R., Crozier R.H. (2007) Phylogenetic analysis of honey bee behavioral evolution, *Mol. Phylogenet. Evol.* 43, 543–552. Keywords: *andreniformis*; *cerana*; dance language; *dorsata*; *flore*; *laboriosa*; *koschnevikovi*; *mellifera*; mtDNA; nesting; *nigrocincta*; *nuluensis*; phylogeny.
- Raffiudin R., Crozier R.H. (2001) Phylogenetic analyses of *Apis* based on inositol 1,4,5-trisphosphate receptor gene sequences, *Proc. 7th Int. Conf. Trop. Bees*, Chiang Mai, Thailand, pp. 353–357. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*; Indonesia; Malaysia; *nigrocincta*; phylogeny; Thailand.
- Rattanawanee A., Chanchao C., Wongsiri S. (2006) Genetic variation of *Apis andreniformis* in Thailand, *Proc. 11th Int. Congr. IUSSI*, Washington, USA, p. 407. Keywords: *andreniformis*; ecology; *mellifera*; morphology; populations; Thailand.
- Rattanawanee A., Chanchao C., Wongsiri S. (2007) Morphometric and genetic variation of small dwarf honeybee *Apis andreniformis* Smith, 1858 in Thailand, *Insect Sci.* 14, 451–460. Keywords: *andreniformis*; genetics; morphometrics.
- Rinderer T.E., Oldroyd B.P., Sylvester H.A., Wongsiri S., de Guzman L.I. (1992) Evolution of bee dances, *Nature* 360, 305. Keywords: *andreniformis*; *cerana*; dance language; *dorsata*; drones; *flore*; mating; *mellifera*.
- Rinderer T.E., Oldroyd B.P., Wongsiri S., Sylvester H.A., de Guzman L.I., Potichot S., Sheppard W.S., Buchmann S.L. (1993). Time of drone flight in four honey bee species in south-eastern Thailand, *J. Apic. Res.* 32, 27–33. Keywords: *andreniformis*; *cerana*; distribution; *dorsata*; drone flight; drones; flight; *flore*; mating; Thailand.
- Rinderer T.E., Oldroyd B.P., Wongsiri S., Sylvester H.A., de Guzman L.I., Stelzer J.A., Riggio R.M. (1995) A morphological comparison of the dwarf honey bees of southeastern Thailand and Palawan, Philippines, *Apidologie* 26, 387–394. Keywords: *andreniformis*; *flore*; morphometrics; Philippines; Thailand.
- Rinderer T.E., Marx B.D., Gries M., Tingek S. (1996) A scientific note on stratified foraging by Sabahan bees on the yellow flame tree (*Peltophorum pterocarpum*), *Apidologie* 27, 423–425. Keywords: *andreniformis*; *cerana*; *dorsata*; foraging; *koschnevikovi*; Malaysia.
- Rinderer T.E., Wongsiri S., Kuang B.Y., Liu J.S., Oldroyd B.P., Sylvester H.A., de Guzman L.I. (1996) Comparative nest architecture of the dwarf honey bees, *J. Apic. Res.* 35, 19–26. Keywords: *andreniformis*; China; combs; *flore*; Philippines; Thailand.
- Rinderer T.E., Oldroyd B.P., de Guzman L.I., Wattanaachaiyingchaeron W., Wongsiri S. (2002) Spatial distribution of the dwarf honey bees in an agroecosystem in southeastern Thailand, *J. Apic. Res.* 35, 19–26. Keywords: *andreniformis*; distribution; ecology; *flore*; honey; Thailand.
- Roubik D.W. (1990) Nesting and defence in tropical honeybees and stingless bees: you are what eats you, *Proc. 11th Int. Congr. IUSSI*, Bangalore, India, pp. 662–663. Keywords: defense.
- Roubik D.W. (2005) Honeybees in Borneo, in: Roubik D.W. Sakai S., Karim A. (Eds.), *Pollination ecology and the rain forest*, Springer, Berlin, pp. 89–103. Keywords: ecology.
- Ruttner F (1987) Biogeography and Taxonomy of Honeybees, Springer, Berlin. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*; *koschnevikovi*; *laboriosa*; *mellifera*; biology; classification; biogeography.
- Sakai S., Momose K., Yumoto T., Nagamitsu T., Nagamasu H., Hamid A.A., Nakashizuka T. (1999) Plant reproductive phenology over four years including an episode of general flowering in a lowland dipterocarp forest, Sarawak, Malaysia, *Am. J. Bot.* 86, 1414–1436. Keywords: *andreniformis*; Borneo; *dorsata*; *koschnevikovi*; Malaysia; Sarawak.
- Sammataro D., Gerson U., Needham G.R. (2000) Parasitic mites of honey bees: life history, implications, and impact, *Annu. Rev. Ent.* 45, 519–548. Keywords: *andreniformis*; *cerana*; *dorsata*; *flore*; *koschnevikovi*; *laboriosa*; *mellifera*; mites.
- Schlüns H. (2004) Evolutionary aspects of mating and reproduction in honeybees, Thesis, Martin-Luther-Universität Halle-Wittenberg. Keywords: *andreniformis*; *flore* mating; *mellifera*; reproduction.
- Schmidt J.O., Morgan E.D., Oldham N.J., do Nascimento R.R., Dani F.R. (1997) (Z)-11-Eicosen-1-ol, a major component of *Apis*

- cerana* venom, *J. Chem. Ecol.* 23, 1929–1939. Keywords: *andreniformis*; *cerana*; *dorsata*; *floreana*; *koschnevikovi*; *mellifera*; pheromones.
- Seeley T.D., Seeley R.H., Akrotanakul P. (1982) Colony defense strategies of the honeybees in Thailand, *Ecol. Monogr.* 52, 43–64. Keywords: *andreniformis*; *floreana*; *cerana*; defense.
- Shimanuki H. (1993) Current status and future prospects for the control of bee mites, in: Connor L.J., Rinderer T.E., Sylvester H.A., Wongsiri S. (Eds.), *Asian apiculture*, . Int. Wicwas Press, Cheshire, Connecticut, pp. 43–48. Keywords: *andreniformis*; *cerana*; *dorsata*; *floreana*; *koschnevikovi*; *laboriosa*; mites.
- Smith D.R. (1990) Mitochondrial DNA and biogeography of *Apis* species, *Proc. 11th Int. Congr. IUSSI*, Washington, USA, pp. 113–114. Keywords: *andreniformis*; biogeography; *cerana*; DNA; *dorsata*; *floreana*; *mellifera*.
- Smith D.R. (1991) Diversity of the genus *Apis*, Westview Press, Boulder, Colorado. Keywords: *andreniformis*; *cerana*; diversity; DNA; *dorsata*; *floreana*; *mellifera*.
- Smith D.R. (1991) Mitochondrial DNA and honey bee biogeography, in: Smith D.R. (Ed.), *Diversity in the genus Apis*, Westview Press, Boulder, Colorado, pp. 131–176. Keywords: *andreniformis*; *cerana*; *dorsata*; *floreana*; *mellifera*.
- Smith D.R. (1993) Mitochondrial DNA variation in *Apis* species and subspecies, in: Connor L.J., Rinderer T.E., Sylvester H.A., Wongsiri S. (Eds.), *Asian apiculture*, Wicwas Press, Cheshire, Connecticut, pp. 173–183. Keywords: *andreniformis*; *cerana*; diversity; DNA; *dorsata*; *floreana*; *mellifera*.
- Smith F. (1858) Catalogue of hymenopterous insects collected Sarawak, Borneo; Mount Ophir, Malacca; and at Singapore, by A.R. Wallace, *Proc. Linn. Soc. Lond.* 2, 42–130. Keywords: *andreniformis*; classification.
- Smith F. (1865) On the species and varieties of the honey-bees belonging to the genus *Apis*, *Ann. Mag. Nat. Hist.* 15, 372–380. Keywords: *andreniformis*; taxonomy.
- Suwannapong G., Seanbualng P., Wongsiri S. (2004) A histochemical study of the hypopharyngeal glands of *Apis andreniformis* Smith, 1858 and *Apis florea* Fabricius, 1793 workers, *Proc. 7th Asian Apic. Assoc. Conf.*, Manila, Philippines, pp. 131–135. Keywords: *andreniformis*; *floreana*; glands; Philippines; workers.
- Sylvester H.A., Wongsiri S. (1993) DNA analysis of genetic variation in Asian honey bees, in: Connor L.J., Rinderer T.E., Sylvester H.A., Wongsiri S. (Eds.), *Asian apiculture*, Wicwas Press, Cheshire, Connecticut, pp. 156–160. Keywords: *andreniformis*; *cerana*; DNA; *dorsata*; *floreana*; hybrids; *mellifera*; Thailand.
- Takahashi J., Hashim S.B., Tingek S., Shimizu I., Yoshida T. (2008) A scientific note on the levels of polyandry in the black dwarf honeybee *Apis andreniformis* from Malaysia, *Apidologie* 38, 104–109. Keywords: *andreniformis*; reproduction.
- Tam D.Q., Dung P.X. (1996) Introduction of Vietnam apiculture, *Proc. 3rd Asian Apis. Assoc.*, Hanoi, Vietnam, pp. xvii–xxiv. Keywords: *andreniformis*; beekeeping; *cerana*; *dorsata*; *floreana*; honey; *mellifera*; mites; Vietnam; wax.
- Tam D.Q. (2001) Honey marketing in Vietnam, *Proc. 37th Int. Apic. Congr.*, Apimondia, Durban, South Africa, (CD-ROM). Keywords: *cerana*; *floreana*; honey; Vietnam.
- Tanaka H., Roubik D.W., Kato M., Liew F., Gunsalam G. (2002) Phylogenetic position of *Apis nuluensis* of northern Borneo and phylogeography of *A. cerana* as inferred from mitochondrial DNA sequences, *Apidologie* 33, 25–31. Keywords: *andreniformis*; Borneo; *cerana*; DNA; *nuluensis*; phylogeny.
- Tarpy D.R., Nielsen R., Nielsen D.I. (2004) A scientific note on the revised estimates of effective paternity frequency in *Apis*, *Insectes Soc.* 51, 203–204. Keywords: *andreniformis*; *cerana*; *dorsata*; *floreana*; *koschnevikovi*; *laboriosa*; *mellifera*; *nuluensis*; *nigrocincta*; reproduction.
- Tingek S., Koeniger N., Koeniger G. (2002) Diversity of mating distance and mating behaviour of five sympatric honeybee species in Sabah (Borneo) Malaysia, *Proc. 14th Int. Cong. IUSSI*, Sapporo, Japan, p. 211. Keywords: *andreniformis*; behaviour; Borneo; *cerana*; diversity; *dorsata*; drone congregation area; *koschnevikovi*; Malaysia; mating; *nuluensis*; Sabah.
- Weymeersch M. (1999) Synthesis of systematic knowledge of the genus *Apis* L., 1758 (Hymenoptera : Apidae), Thesis, University of Gembloux (in French). Keywords: *floreana*; *andreniformis*; *cerana*; classification; *dorsata*; *koschnevikovi*; *laboriosa*; *nigrocincta*; *nuluensis*.
- Willis L.G., Winston M.L., Honda B.M. (1992) Phylogenetic relationships in the honeybee genus *Apis* as determined by the sequence of the cytochrome oxidase II region of mitochondrial DNA, *Mol. Phylogenet. Evol.* 1, 169–178. Keywords: *andreniformis*; *cerana*; DNA; *dorsata*; *floreana*; *koschnevikovi*; Malaysia; phylogeny; Thailand.
- Wongsiri S., Limbipichai K., Tangkanasing P., Mardan M.B., Rinderer T.E., Sylvester H.A., Koeniger G., Otis G.W. (1990) Evidence of reproductive isolation confirms that *Apis andreniformis* (Smith, 1858) is a separate species from sympatric *Apis florea* (Fabricius, 1787), *Apidologie* 21, 47–52. Keywords: *andreniformis*; distribution; *floreana*; genitalia; reproductive isolation; taxonomy; Thailand.

- Wongsiri S., Lekprayoon C., Thapa R., Thirakhupt K., Rinderer T.E., Sylvester H.A., Oldroyd B.P., Booncham U. (1997) Comparative biology of *Apis andreniformis* and *Apis florea* in Thailand, *Bee World* 78, 23–35. Keywords: *andreniformis*; biology; *Int. florea*; Thailand.
- Wongsiri S., Chanchao C., Deowanish S., Aemprapa S., Chaiyawong T., Petersen S., Leepitakrat S. (2000) Honey bee diversity and beekeeping in Thailand, *Bee World* 81, 20–29. Keywords: *andreniformis*; beekeeping; *cerana*; *dorsata*; *florea*; *mellifera*; Thailand.
- Wongsiri S., Chanchao C., Lekprayoon C., Wattanasermkit K. (2001) Honeybee diversity and management in the new millennium in Thailand, Proc. 7th Int. Conf. Trop. Bees, Chiang Mai, Thailand, pp. 9–14. Keywords: *andreniformis*; *cerana*; diversity; *dorsata*; *florea*; management; *mellifera*; Thailand.
- Wongsiri S., Deowanish S., Thapa R. (2002) Some behaviour diversity of *Apis dorsata*, *Apis florea* and *Apis andreniformis*, Proc. 14th Int. Congr. IUSSI, Sapporo, Japan, p. 211. Keywords: *andreniformis*; behaviour; *dorsata*; *florea*.
- Wongsiri S., Suwanapong G., Srisook N., Hepburn H.R. (2006) Pheromones of Asian honeybees (*Apis andreniformis*, *Apis cerana*, *Apis dorsata* and *Apis florea*), Proc. 11th Int. Congr. IUSSI, Washington, USA, p. 344. Keywords: *andreniformis*; *cerana*; *dorsata*; *florea*; pheromones.
- Woyke J. (2000) Differences in body colour expression between European and Asian honeybees, Proc. 4th Asian Apic. Assoc., Kathmandu, Nepal, pp. 20–23. Keywords: Afghanistan; *andreniformis*; *cerana*; China; colouration; *dorsata*; *florea*; India; *koschnevikovi*; Malaysia; *mellifera*; sex determination; Thailand; Vietnam.
- Wu Y.R., Kuang B. (1986) A study of the genus *Micrapis* (Apidae), *Zool. Res.* 7, 99–102 (in Chinese). Keywords: *andreniformis*; China; distribution; *florea*; nesting; taxonomy.